

ELECTRONIC

2016

PEDESTRIAN / BIKE MANUAL



Pedestrian Elements



Bicycle Elements

U.S. Department
Of Transportation



National Highway Traffic
Safety Administration

PEDESTRIAN ELEMENTS

PB27 – Marked Crosswalk Present

PB28 – Sidewalk Present

PB29 – School Zone

PB30 – Crash Type - Pedestrian

PB31 – Crash Location - Pedestrian

PB32 – Pedestrian Position

PB33 – Pedestrian Initial Direction of Travel

PB34 – Motorist Initial Direction of Travel

PB35 – Motorist Maneuver

PB36 – Intersection Leg

PB37 – Pedestrian Scenario

PB38 – Crash Group - Pedestrian

BICYCLE ELEMENTS

PB27 – Marked Crosswalk Present

PB28 – Sidewalk Present

PB29 – School Zone

PB30B – Crash Type - Bicycle

PB31B – Crash Location - Bicycle

PB32B – Bicyclist Position

PB33B – Bicyclist Direction

PB38B – Crash Group - Bicyclist

TABLE OF CONTENTS

Pedestrian Crash Type Flowcharts

Pedestrian → Crash Location → Intersection.....	1
Pedestrian → Crash Location → Intersection Related	2
Pedestrian → Crash Location → Non-Intersection Location	3
Pedestrian → Crash Location → Non-Roadway Location	4
Pedestrian → Crash Location → Unknown/Insufficient Information ...	5

Bicyclist Crash Type Flowcharts

Bicyclist → Crash Location → Intersection.....	6
Bicyclist → Crash Location → Intersection Related	7
Bicyclist → Crash Location → Non-Intersection Location	8
Bicyclist → Crash Location → Non-Roadway Location	9

Pedestrian Level

PB27	Marked Crosswalk Present	11
PB28	Sidewalk Present	13
PB29	School Zone	15
PB30	Crash Type - Pedestrian	17
PB31	Crash Location - Pedestrian	31
PB32	Pedestrian Position	33
PB33	Pedestrian Initial Direction of Travel	37
PB34	Motorist Initial Direction of Travel	39
PB35	Motorist Maneuver	41
PB36	Intersection Leg	43
PB37	Pedestrian Scenario	45
PB38	Crash Group - Pedestrian.....	77


Bicyclist Level

PB27	Marked Crosswalk Present	11
PB28	Sidewalk Present	13
PB29	School Zone	15
PB30B	Crash Type - Bicycle	51
PB31B	Crash Location - Bicycle	69
PB32B	Bicyclist Position	71
PB33B	Bicyclist Direction	75
PB38B	Crash Group - Bicyclist	81


Appendix

Consistency Checks	87
--------------------------	----

Pedestrian → Crash Location → Intersection



Pedestrian → Crash Location → Intersection Related



Pedestrian → Crash Location → Not At Intersection Location

Pedestrian Position
Intersection Area
Crosswalk Area
Travel Lane
Paved Shoulder/Bicycle Lane/Parking Lane
Sidewalk/Shared-Use Path/Driveway Access
Unpaved Right-of-Way
Non-Trafficway - Driveway
Non-Trafficway - Parking Lot/Other
Other/Unknown

Unusual Circumstances
120 - Dispute-Related
130 - Pedestrian on Vehicle
140 - Vehicle - Vehicle/Object
150 - Motor Vehicle Loss of Control
160 - Pedestrian Loss of Control
190 - Other Unusual Circumstances

None of the Above

Unusual Vehicle Action
220 - Driverless Vehicle
230 - Disabled Vehicle-Related
240 - Emergency Vehicle-Related
250 - Play Vehicle-Related

Backing Vehicle
None of the Above

Backing Vehicle
212 - Driveway Access
213 - Trafficway

Unusual Pedestrian Action
320 - Entering/Exiting Parked or Stopped Vehicle
330 - Mailbox-Related
341 - Transit Bus-Related
342 - School Bus Stop-Related
360 - Ice Cream/Vendor Truck-Related

Playing, Working or Lying in Roadway
None of the Above

Working, Playing or Lying in Roadway
311 - Working in Roadway
312 - Playing in Roadway
313 - Lying in Roadway

Driveway Access
461 - Motorist Entering a Driveway
465 - Motorist Exiting a Driveway
469 - Driveway Access - Other/Unknown

Waiting to Cross
510 - Vehicle Turning
520 - Vehicle Not Turning
590 - Vehicle Action Unknown

Typical Pedestrian Action
680 - Not At Intersection - Other/Unknown
910 - Crossing an Expressway

Waiting to Cross
Walking/Running Along Roadway
Driveway Access
Crossing Roadway or in the Roadway

Walking/Running Along Roadway
410 - With Traffic - From Behind
420 - With Traffic - From Front
430 - Against Traffic - From Behind
440 - Against Traffic - From Front
459 - Direction / Position Unknown

Failure to Yield Not At Intersection
760 - Pedestrian Failed to Yield
770 - Motorist Failed to Yield

Other/Unknown

Walking/Running Along Roadway
410 - With Traffic - From Behind
420 - With Traffic - From Front
430 - Against Traffic - From Behind
440 - Against Traffic - From Front
459 - Direction / Position Unknown

Other Action Not At Intersection
610 - Standing in Roadway
620 - Walking in Roadway
680 - Not At Intersection - Other/Unknown

Crossing Roadway
710 - Multiple Threat
730 - Trapped
741 - Dash
742 - Dart-Out

Crossing Roadway - Vehicle Turning
Unknown

Crossing Roadway - Vehicle Turning
781 - Motorist Left Turn - Parallel Path
782 - Motorist Left Turn - Perpendicular Path
791 - Motorist Right Turn - Parallel Path
795 - Motorist Right Turn - Perpendicular Path
799 - Motorist Turn/Merge - Other/Unknown

Pedestrian → Crash Location → Non-Trafficway Location

Pedestrian Position
Non-Trafficway - Driveway
Non-Trafficway - Parking Lot / Other
Other/Unknown



Unusual Circumstances
120 - Dispute-Related
130 - Pedestrian on Vehicle
140 - Vehicle - Vehicle/Object
150 - Motor Vehicle Loss of Control
160 - Pedestrian Loss of Control
190 - Other Unusual Circumstances
None of the Above



Unusual Vehicle Action
220 - Driverless Vehicle
230 - Disabled Vehicle-Related
240 - Emergency Vehicle-Related
250 - Play Vehicle-Related
Backing Vehicle
None of the Above




Backing Vehicle
211 - Non-Trafficway - Driveway
214 - Non-Trafficway
219 - Other/Unknown



Non-Trafficway Crash
830 - Non-Trafficway - Parking Lot
890 - Non-Trafficway - Other/Unknown

Pedestrian → Crash Location → Unknown/Insufficient Information



Bicyclist → Crash Location → At Intersection

Bicyclist Position (1)
Travel Lane
Bicycle Lane/Paved Shoulder/Parking Lane
Sidewalk/Crosswalk/Driveway Access
Shared-Use Path
Non-Trafficway - Driveway
Non-Trafficway - Parking Lot /Other
Other
Unknown

Bicyclist Direction (2)
With Traffic
Facing Traffic
Not Applicable
Unknown

Unusual/Specific Circumstances (3)
610 - Backing Vehicle
700 - Play Vehicle-Related
800 - Unusual Circumstances
None of the Above

Initial Approach Paths (4)
970 - Unknown Approach Paths
Crossing Paths
Parallel Paths

Turning Error Crash (5a1)
111 - Motorist - Left Turn
112 - Motorist - Right Turn
113 - Motorist - Other
114 - Bicyclist - Left Turn
115 - Bicyclist - Right Turn
116 - Bicyclist - Other

Crossing Paths (5a)
180 - Intersection - Other/Unknown
Turning Error
Loss of Control
Drive/Ride-Out/Through

Parallel Paths (5b)
280 - Other/ Unknown
Motorist Turned/Merged
Bicyclist Turned/Merged
Motorist Overtaking Bicycle
Bicyclist Overtaking Motorist
Wrong Way/Wrong Side
Loss of Control

Motorist Turned or Merged (5b1)
211 - Left Turn - Same Direction
212 - Left Turn - Opposite Direction
215 - Drive-In/Out - Parking
216 - Bus/Delivery Vehicle Pullover
219 - Other/Unknown
Right Turn - Same Direction
Right Turn - Opposite Direction

Loss of Control (5a2)
Bicyclist Loss of Control due to:
121 - Mechanical Problems
122 - Oversteering, Improper Braking, Speed
123 - Alcohol/Drug Impairment
124 - Surface Conditions
129 - Other/Unknown
Motorist Loss of Control due to:
131 - Mechanical Problems
132 - Oversteering, Improper Braking, Speed
133 - Alcohol/Drug Impairment
134 - Surface Conditions
139 - Other/Unknown

Type of Traffic Control Drive/Ride-Out/Through (5a3)
160 - Uncontrolled Intersection
180 - Other/Unknown
Sign Controlled Intersection
Signal Controlled Intersection

Right Turn - Same Direction (5b1a)
213 - Right Turn
217 - Right Turn on Red

Right Turn - Opposite Direction (5b1b)
214 - Right Turn
218 - Right Turn on Red

Sign Controlled Intersection (5a3a)
141 - Motorist Drive-Out
142 - Bicyclist Ride-Out
143 - Motorist Drive-Through
144 - Bicyclist Ride-Through
147 - Multiple Threat
148 - Other/Unknown

Signal Controlled Intersection (5a3b)
153 - Bicyclist Ride-Out
154 - Motorist Drive-Through
155 - Bicyclist Ride-Through
158 - Other/Unknown
Motorist Drive-Out
Bicyclist Failed to Clear

Bicyclist Overtaking (5b4)
241 - Passing on Right
242 - Passing on Left
243 - Parked Vehicle
244 - Extended Door
249 - Other/Unknown

Loss of Control (5b6)
Bicyclist Loss of Control due to:
121 - Mechanical Problems
122 - Oversteering, Improper Braking, Speed
123 - Alcohol/Drug Impairment
124 - Surface Conditions
129 - Other/Unknown
Motorist Loss of Control due to:
131 - Mechanical Problems
132 - Oversteering, Improper Braking, Speed
133 - Alcohol/Drug Impairment
134 - Surface Conditions
139 - Other/Unknown

Motorist Drive-Out (5a3b1)
151 - Right Turn on Red
152 - Signalized Intersection


Bicyclist Failed to Clear (5a3b2)
156 - Trapped
157 - Multiple Threat
159 - Unknown

Bicyclist Turned or Merged (5b2)
221- Left Turn - Same Direction
222 -Left Turn - Opposite Direction
223 -Right Turn - Same Direction
224 -Right Turn - Opposite Direction
225 -Ride-Out - Parellel Path

Motorist Overtaking (5b3)
231 - Undetected Bicyclist
232 - Misjudged Space
235 - Bicyclist Swerved
239 - Other/Unknown

Wrong Way/Wrong Side (5b5)
250 - Bicyclist
255 - Motorist
259 - Unknown

Bicyclist → Crash Location → Intersection Related



Bicyclist → Crash Location → Not At Intersection

Bicyclist Position (1)
Travel Lane
Bicycle Lane/Paved Shoulder/Parking Lane
Sidewalk/Crosswalk/Driveway Access
Shared-Use Path
Non-Trafficway - Driveway
Non-Trafficway - Parking Lot /Other
Other
Unknown

Bicyclist Direction (2)
With Traffic
Facing Traffic
Not Applicable
Unknown

Unusual/Specific Circumstances (3)
610 - Backing Vehicle
700 - Play Vehicle-Related
800 - Unusual Circumstances
None of the Above

Initial Approach Paths (4)
970 - Unknown Approach Paths
Crossing Paths
Parallel Paths

Turning Error Crash (5a1)
111 - Motorist Left Turn
112 - Motorist Right Turn
113 - Motorist Other Turn
114 - Bicyclist Left Turn
115 - Bicyclist Right Turn
116 - Bicyclist Other Turn

Crossing Paths (5a)
357 - Multiple Threat - Midblock
318 - Midblock-Other/Unknown
Turning Error
Motorist Drive-Out
Loss of Control
Bicyclist Ride-Out

Parallel Paths (5b)
280 - Other/ Unknown
Motorist Turned/Merged
Bicyclist Turned/Merged
Motorist Overtaking Bicycle
Bicyclist Overtaking Motorist
Wrong Way/Wrong Side
Loss of Control

Motorist Turned or Merged (5b1)
211 - Left Turn - Same Direction
212 - Left Turn - Opposite Direction
215 - Drive-In/Out - Parking
216 - Bus/Delivery Vehicle Pullover
219 - Other/Unknown
Right Turn - Same Direction
Right Turn - Opposite Direction

Motorist Drive-Out (5a2)
321 - Residential Driveway
322 - Commercial Driveway
323 - Driveway, Unknown Type
328 - Other Midblock
329 - Midblock - Unknown

Bicyclist Ride-Out (5a4)
311 - Residential Driveway
312 - Commercial Driveway
313 - Driveway, Unknown Type
318 - Other Midblock
319 - Midblock - Unknown

Right Turn - Same Direction (5b1a)
213 - Right Turn
217 - Right Turn on Red

Right Turn - Opposite Direction (5b1b)
214 - Right Turn
218 - Right Turn on Red

Loss of Control (5a3)
Bicyclist Loss of Control due to:
121 - Mechanical Problems
122 - Oversteering, Improper Braking, Speed
123 - Alcohol/Drug Impairment
124 - Surface Conditions
129 - Other/Unknown
Motorist Loss of Control due to:
131 - Mechanical Problems
132 - Oversteering, Improper Braking, Speed
133 - Alcohol/Drug Impairment
134 - Surface Conditions
139 - Other/Unknown

Loss of Control (5b6)
Bicyclist Loss of Control due to:
121 - Mechanical Problems
122 - Oversteering, Improper Braking, Speed
123 - Alcohol/Drug Impairment
124 - Surface Conditions
129 - Other/Unknown
Motorist Loss of Control due to:
131 - Mechanical Problems
132 - Oversteering, Improper Braking, Speed
133 - Alcohol/Drug Impairment
134 - Surface Conditions
139 - Other/Unknown

Bicyclist Overtaking (5b4)
241 - Passing on Right
242 - Passing on Left
243 - Parked Vehicle
244 - Extended Door
249 - Other/Unknown

Bicyclist Turned or Merged (5b2)
221- Left Turn - Same Direction
222 -Left Turn - Opposite Direction
223 -Right Turn - Same Direction
224 -Right Turn - Opposite Direction
225 -Ride-Out - Parellel Path

Motorist Overtaking (5b3)
231 - Undetected Bicyclist
232 - Misjudged Space
235 - Bicyclist Swerved
239 - Other/Unknown

Wrong Way/Wrong Side (5b5)
250 - Bicyclist
255 - Motorist
259 - Unknown

Bicyclist Position

Travel Lane
Bicycle Lane/Paved Shoulder/Parking Lane
Sidewalk/Crosswalk/Driveway Access
Shared-Use Path
Non-Trafficway - Driveway
Non-Trafficway - Parking Lot /Other
Other
Unknown

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING MARKED CROSSWALK PRESENT

FORMAT: Element Completed in MDE

SAS NAME: pbtype.PBCWALK

ELEMENT VALUES:

- 0 None Noted
- 1 Yes
- 9 Unknown

Remarks:

0 (None Noted) is used when the case materials indicate there is no marked crosswalk present OR when it cannot be determined if a marked crosswalk was present (e.g., not displayed on the diagram, not identified in the narrative, or not in a relevant report field). This attribute may also be selected if a marked crosswalk is not indicated in the case materials and the crash occurs in a location where crosswalk presence is unlikely (e.g., rural roadway, interstate).

1 (Yes) is used when the case materials indicate the presence of a marked crosswalk at the crash site. To select this attribute you only need to establish presence of a marked crosswalk. (i.e., the person does not have to be in **or near** the crosswalk and the crosswalk does not have to be relevant to the crash).

FARS only: Internet maps or other available sources such as the state highway department may be used to verify marked crosswalk presence when you suspect they could exist.

9 (Unknown) is used when the case materials state that it is “unknown” if a marked crosswalk is present.

Consistency Checks:

IF	THEN
(1PK3) NON-MOTORIST LOCATION AT TIME OF CRASH equals 01 or 10,	MARKED CROSSWALK PRESENT must equal 1.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING SIDEWALK PRESENT

FORMAT: Element Completed in MDE

SAS NAME: pbtype.PBSWALK

ELEMENT VALUES:

- 0 None Noted
- 1 Yes
- 9 Unknown

Remarks:

0 (None Noted) is used when the case materials indicate there is no sidewalk present OR when it cannot be determined if a sidewalk was present (e.g., not displayed on the diagram, not identified in the narrative, or not in a relevant report field). This attribute may also be selected if a sidewalk is not indicated in the case materials and the crash occurs in a location where a sidewalk is unlikely (e.g., rural roadway, interstate).

1 (Yes) is used when the case materials indicate the presence of a sidewalk at the crash site. To select this attribute you only need to establish presence of a sidewalk at this location (i.e., the person does not have to be on the sidewalk and the sidewalk does not have to be relevant to the crash).

FARS only: Internet maps or other available sources such as the state highway department may be used to verify sidewalk presence when you suspect they could exist.

9 (Unknown) is used when the case materials state that it is “unknown” if a sidewalk is present.

Consistency Checks:

	IF	THEN
(1PK2)	NON-MOTORIST LOCATION AT TIME OF CRASH equals 21,	SIDEWALK PRESENT must equal 1.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING SCHOOL ZONE

FORMAT: Element Completed in MDE

SAS NAME: pbtype.PBSZONE

ELEMENT VALUES:

0	None Noted
1	Yes
9	Unknown

Remarks:

0 (None Noted) is used when the case materials indicate the crash did not occur in a school zone OR when it cannot be determined if the crash occurred in a school zone (e.g., not displayed on the diagram, not identified in the narrative, or not in a relevant report field). This attribute may also be selected if a school zone is not indicated in the case materials and the crash occurs in a location where a school zone is unlikely (e.g., interstate).

1 (Yes) is used when the case materials indicated the crash occurred in a school zone. It does not matter as to the time of the crash, but only that the investigating officer stated or coded the crash was in a school zone.

FARS only: Internet maps or other available sources such as the state highway department may be used to verify school zone presence when you suspect they could exist.

9 (Unknown) is used when the case materials state that it is “unknown” if the crash occurred in a school zone.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN

FORMAT: Element Completed in MDE

SAS NAME: pbtype.PEDCTYPE

ELEMENT VALUES:

Crash Group attribute names are left justified, followed by the element value in parenthesis. Crash Type element values and attribute names are listed below the applicable Crash Group.

Unusual Circumstances (100)

- 120 Dispute-Related
- 130 Pedestrian on Vehicle
- 140 Vehicle - Vehicle / Object
- 150 Motor Vehicle Loss of Control
- 160 Pedestrian Loss of Control
- 190 Other Unusual Circumstances
- 220 Driverless Vehicle
- 230 Disabled Vehicle-Related
- 240 Emergency Vehicle-Related
- 250 Play Vehicle-Related

Backing Vehicle (200)

- 211 Backing Vehicle - Non-Trafficway - Driveway
- 212 Backing Vehicle - Driveway Access
- 213 Backing Vehicle - Trafficway
- 214 Backing Vehicle - Non-Trafficway - Parking Lot
- 219 Backing Vehicle - Other / Unknown

Working or Playing in Roadway (310)

- 311 Working in Roadway
- 312 Playing in Roadway

Bus-Related (340)

- 341 Transit Bus-Related
- 342 School Bus Stop-Related

Unique Midblock (350)

- 320 Entering / Exiting Parked or Stopped Vehicle
- 330 Mailbox-Related
- 360 Ice Cream / Vendor Truck-Related

Walking / Running Along Roadway (400)

- 410 Walking / Running Along Roadway With Traffic - From Behind
- 420 Walking / Running Along Roadway With Traffic - From Front
- 430 Walking / Running Along Roadway Against Traffic - From Behind

NM9
PB30

- 440 Walking / Running Along Roadway Against Traffic - From Front
- 459 Walking / Running Along Roadway - Direction / Position Unknown
- Driveway Access / Driveway Access Related (460)
 - 461 Motorist Entering Driveway
 - 465 Motorist Exiting Driveway
 - 469 Driveway Access - Other/Unknown
- Waiting to Cross (500)
 - 510 Waiting to Cross - Vehicle Turning
 - 520 Waiting to Cross - Vehicle Not Turning
 - 590 Waiting to Cross - Vehicle Action Unknown
- Pedestrian in Roadway - Circumstances Unknown (600)
 - 610 Standing in Roadway
 - 620 Walking in Roadway
 - 313 Lying in Roadway
- Multiple Threat / Trapped (720)
 - 710 Multiple Threat
 - 730 Trapped
- Dash / Dart-Out (740)
 - 741 Dash
 - 742 Dart-Out
- Crossing Roadway - Vehicle Not Turning (750)
 - 760 Pedestrian Failed to Yield
 - 770 Motorist Failed to Yield
- Crossing Roadway - Vehicle Turning (790)
 - 781** Motorist Left Turn - Parallel Paths
 - 782** Motorist Left Turn - Perpendicular Paths
 - 791 Motorist Right Turn - Parallel Paths
 - 792 Motorist Right Turn on Red - Parallel Paths
 - 795 Motorist Right Turn - Perpendicular Paths
 - 794 Motorist Right Turn on Red - Perpendicular Paths
 - 799 Motorist Turn / Merge - Other / Unknown
- Non-Trafficway (800)
 - 830 Non-Trafficway - Parking Lot
 - 890 Non-Trafficway - Other / Unknown
- Crossing Expressway (910)
 - 910 Crossing an Expressway
- Other / Unknown - Insufficient Details (990)
 - 900 Other - Unknown Location
 - 680 Not At Intersection - Other / Unknown
 - 690 At Intersection - Other / Unknown

Remarks:

100 (Unusual Circumstances) is used when the crash involved a disabled vehicle, emergency vehicle, vehicle in pursuit, play vehicle, driverless vehicle or collision with a vehicle which was in a prior vehicle-into-vehicle impact; the pedestrian/vehicle impact was dispute-

related; the pedestrian was leaning against or pushing a vehicle; the pedestrian lost control; the vehicle lost control or the pedestrian was involved in a collision as a result of other unusual circumstances (e.g., the pedestrian collided with an object set-in-motion by an in transport motor vehicle). If the crash involves any unusual crash circumstance types 120, 130, 140, 150, or 190, select the first one that applies. If this crash involves any of the unusual vehicle types or vehicle actions (e.g., Group 200, Type 220, 230, 240 or 250) select the first one that applies in this order: **240 (Emergency Vehicle-Related)**, **230 (Disabled Vehicle-Related)**, **220 (Driverless Vehicle)**, **Group 200 (Backing Vehicle)**, **250 (Play Vehicle-Related)**.

120 (Dispute-Related) is used when the pedestrian was involved in a collision with a vehicle during a domestic altercation or other dispute. This would only be used if the contact with the pedestrian was unintentional (i.e., not “deliberate intent”). The pedestrian does not need to be a party to the dispute.

130 (Pedestrian on Vehicle) is used when the pedestrian was sitting on, leaning against, or clinging to a vehicle which began to move or was moving. If the pedestrian was pushing a disabled vehicle, see Crash Type 230 (Disabled Vehicle-Related). [Note: In FARS/GES this excludes persons on or clinging to the vehicle that would be classified as occupants.]

140 (Vehicle - Vehicle / Object) is used when the pedestrian was involved in the crash as a result of a prior vehicle-into-vehicle or vehicle-into-object crash.

150 (Motor Vehicle Loss of Control) is used when the pedestrian was involved in a collision with a vehicle which had a prior loss of control due to mechanical failure, surface conditions, driver medical issue, driver blackout or unconsciousness, alcohol or drug impairment, or falling asleep. Do not independently evaluate test results for this determination. The case materials/PAR must indicate that the operator’s impairment caused the loss of control and not just that alcohol or drugs were listed among the contributing factors in the crash.

160 (Pedestrian Loss of Control) is used when the pedestrian stumbled, fell or rolled into path a of vehicle due to surface conditions, medical issue, blackout or unconsciousness, alcohol or drug impairment, falling asleep or other mishap.

190 (Other Unusual Circumstances) is used when the crash involved other unusual circumstances, such as the pedestrian being struck by falling cargo, a wheel which came off a vehicle because of mechanical failure, or tread which separated from a tire.

220 (Driverless Vehicle) is used when the pedestrian was struck by a vehicle that was moving without a driver at the controls or that was set-in-motion by the actions of a child.

230 (Disabled Vehicle-Related) is used when the pedestrian was involved in a collision with a vehicle while near, next to, or pushing a disabled vehicle (including a vehicle that

had been in a previous crash). Note: Crashes involving pedestrians standing near tow trucks responding to the disabled vehicle are also included in this crash type.

240 (Emergency Vehicle-Related) is used when the pedestrian was involved in a collision with an active/moving emergency vehicle or with a vehicle being pursued.

250 (Play Vehicle-Related) is used when the pedestrian was involved in a collision with a vehicle while riding a play vehicle that was not a bicycle (e.g., skates, scooter, wagon, sled, etc.). Excludes persons in handicap scooters or wheelchairs.

200 (Backing Vehicle) is used when the pedestrian was involved in a collision with a vehicle that was backing up with a driver at the controls at any type of location.

211 (Backing Vehicle - Non-Trafficway - Driveway) is used when the pedestrian was in a driveway (outside the trafficway) and involved in a collision with a vehicle that was backing with a driver at the controls.

212 (Backing Vehicle - Driveway Access) is used when the pedestrian was within the trafficway on a sidewalk, shared-use path or driveway access and was involved in a collision with a vehicle that was backing with a driver at the controls. This includes the driveway crossing which is the portion of the driveway access where a sidewalk or shared-use path crosses over the driveway access.

213 (Backing Vehicle - Trafficway) is used when the pedestrian was involved in a collision with a vehicle that was backing with a driver at the controls. This would typically occur in a travel lane, parking lane, or shoulder but would exclude the driveway access.

214 (Backing Vehicle - Non-Trafficway - Parking Lot) is used when the pedestrian was in a parking lot space/stall or aisle and was involved in a collision with a vehicle that was backing with a driver at the controls.

219 (Backing Vehicle - Other / Unknown) is used when the pedestrian was in an other or unknown location and involved in a collision with a vehicle that was backing with a driver at the controls.

310 (Working or Playing in Roadway) is used when the pedestrian was working or playing in the roadway.

311 (Working in Roadway) is used when the pedestrian is working in the roadway when involved in a collision with a vehicle. This includes work activities associated with the construction and maintenance for the trafficway, utility work within the roadway, enforcement work (e.g., directing traffic), or other activities that require the pedestrian to be present in the roadway (e.g., refuse worker). It does not include pedestrians (such as a package/mail delivery worker) who are entering/exiting a vehicle in the roadway or crossing the roadway.

312 (Playing in Roadway) is used when the pedestrian is playing in the roadway when involved in a collision with a vehicle. To use this attribute, the pedestrian should be playing in the roadway prior to vehicle's appearance. This does not include a pedestrian on a play vehicle [see **250 (Play Vehicle-Related)**] and does not include a pedestrian that enters the roadway into the path of the vehicle (e.g., to retrieve a ball). See **741 (Dash)** and **742 (Dart-Out)**.

340 (Bus-Related) is used when the pedestrian was involved in a collision with a vehicle while crossing/walking to a bus or bus stop or while waiting at a bus stop. The pedestrian does not have to intend to be a passenger on the bus or previously been a passenger on the bus.

341 (Transit Bus-Related) is used when the pedestrian is crossing in front of a transit bus (city bus) stopped at a marked bus stop. The person can be involved in a collision with the bus (contact) or another vehicle that did not see the person as a result of the bus.

342 (School Bus Stop-Related) is used when the pedestrian is going to or from or waiting at a school bus stop. The pedestrian does not have to be a student and a school bus does not have to be present.

350 (Unique Midblock) is used when the crash was associated with a vendor truck, mailbox, or other roadside pedestrian 'destination' that was not a bus, or the pedestrian was involved in a collision with a vehicle while entering or exiting a parked vehicle.

320 (Entering / Exiting Parked or Stopped Vehicle) is used when the pedestrian was adjacent to a stopped or parked vehicle and in the process of getting into or had just exited that stopped or parked vehicle. Note: This does not include crashes involving a disabled vehicle [see **230 (Disabled Vehicle-Related)**] or pedestrians performing other actions such as crossing the roadway to/from a parked vehicle or other movements that occurred after the pedestrian exited the vehicle.

330 (Mailbox-Related) is used when the pedestrian is going to or from or standing at a mailbox or newspaper box.

360 (Ice-Cream / Vendor Truck-Related) is used when the pedestrian is going to or from an ice-cream truck or other type of vehicle vending from the curb or roadside.

400 (Walking / Running Along Roadway) is used when the pedestrian was walking or running in or adjacent to the roadway (travel lane) within the trafficway boundaries. This also includes situations where the person's action/intent was walking or running along the roadway. For example a person stopped momentarily when they were struck (e.g., to tie shoes, talk on cell phone) or someone that moved out into the path of a vehicle to avoid an obstacle along the roadside. This may include the roadway edge, shoulder (paved or unpaved), sidewalk, roadside, or median but excludes a person in a driveway access related crash [See **460 (Driveway Access/Driveway Access Related)**].

410 (Walking / Running Along Roadway With Traffic - From Behind) is used when the pedestrian was walking/running, facing in the same direction as the flow of traffic and was involved in a collision where the vehicle was coming from behind the pedestrian.

420 (Walking / Running Along Roadway With Traffic - From Front) is used when the pedestrian was walking/running, facing in the same direction as the flow of traffic and was involved in a collision where the vehicle was coming from the front of the pedestrian.

430 (Walking / Running Along Roadway Against Traffic - From Behind) is used when the pedestrian was walking/running, facing in the opposite direction as the flow of traffic and was involved in a collision where the vehicle was coming from behind the pedestrian.

440 (Walking / Running Along Roadway Against Traffic - From Front) is used when the pedestrian was walking/running, facing in the opposite direction as the flow of traffic and was involved in a collision where the vehicle was coming from the front of the pedestrian.

459 (Walking / Running Along Roadway - Direction / Position Unknown) is used when the pedestrian was walking/running, but there is insufficient information to determine either the position or direction of the pedestrian at the time of the crash.

460 (Driveway Access / Driveway Access Related) is used when the pedestrian was crossing or in a driveway access. This includes the driveway crossing which is the portion of the driveway access where a sidewalk or shared-use path crosses over the driveway access. This also applies when the pedestrian is crossing or standing at the edge of the travel lane in front of the driveway access or is next to the driveway access when in a collision with a vehicle either entering or exiting the driveway.

461 (Motorist Entering Driveway) is used when the motor vehicle was turning into a driveway and collided with the pedestrian.

465 (Motorist Exiting Driveway) is used when the motor vehicle was exiting a driveway and collided with the pedestrian.

469 (Driveway Access - Other / Unknown) is used when the pedestrian was known to be in or near a driveway access when involved in a collision with a vehicle but it cannot be determined if the vehicle was entering or exiting the driveway.

500 (Waiting to Cross) is used when the pedestrian was standing on the curb or near the roadway edge waiting to cross the roadway when involved in a collision with a vehicle. If the pedestrian began to cross the roadway, stopped, and then was involved in a collision with a vehicle, see Crash Groups **720 (Multiple Threat/Trapped)**, **740 (Dash/Dart-Out)**, **750 (Crossing Roadway - Vehicle Not Turning)**, **790 (Crossing Roadway - Vehicle Turning)**.

510 (Waiting to Cross - Vehicle Turning) is used when the pedestrian was standing near the curb or roadway edge and waiting to cross the roadway when involved in a collision with a turning vehicle.

520 (Waiting to Cross - Vehicle Not Turning) is used when the pedestrian was standing near the curb or roadway edge and waiting to cross the roadway when involved in a collision with a vehicle that was not turning.

590 (Waiting to Cross - Vehicle Action Unknown) is used when the pedestrian was standing near the curb or roadway edge and waiting to cross the roadway when involved in a collision with a vehicle, but it could not be determined if the vehicle was turning or not.

600 (Pedestrian in Roadway - Circumstances Unknown) is used when the pedestrian was standing, walking, or lying in the road right-of-way at an intersection or midblock location but the circumstances do not otherwise fit any previously described or are unknown.

610 (Standing in Roadway) is used when the pedestrian was standing in the roadway prior to the collision with the vehicle, but the crash cannot be further classified.

620 (Walking in Roadway) is used when the pedestrian was walking in the roadway prior to the collision with the vehicle, but the crash cannot be further classified.

313 (Lying in Roadway) is used when the pedestrian is lying in the roadway when involved with a collision with a motor vehicle. This includes someone sitting, getting up, asleep/unconscious, kneeling, etc.

720 (Multiple Threat / Trapped) is used when the pedestrian entered the roadway in front of standing or slowing traffic, the traffic started moving then the pedestrian was then involved in a collision with a vehicle traveling in the same direction as the stopped traffic (multiple threat). Note: Multiple threats may occur at non-signalized locations. This also applies when the pedestrian entered the roadway on a green signal and was trapped when the signal changed (trapped).

710 (Multiple Threat) is used when the pedestrian entered the traffic lane in front of stopped or slowing traffic and was involved in a collision with a vehicle traveling in the same direction as the stopped or slowing traffic. If there is a traffic signal present and the light changes while the person is crossing, see **730 (Trapped)**.

730 (Trapped) is used when the pedestrian was involved in a collision with a vehicle while crossing at a signalized intersection or signalized midblock crossing when the light changed and traffic started moving.

740 (Dash / Dart-Out) is used when the pedestrian either ran into the roadway in front of a motorist whose view of the pedestrian was not obstructed or walked or ran into the road and

was involved in a collision with a vehicle where the driver's view of the pedestrian was blocked until an instant before impact.

741 (Dash) is used when the pedestrian ran into the roadway and was involved in a collision with a vehicle and there is no mention in the case materials/PAR that the driver's view of the pedestrian was obstructed. The case materials/PAR should state that the pedestrian ran.

742 (Dart-Out) is used when the pedestrian walked or ran into the roadway and was involved in a collision with a vehicle where the driver's view of the pedestrian was blocked until an instant before impact. A dart-out can only occur if there is some documented visual obstruction (e.g., parked vehicle, building or vegetation).

750 (Crossing Roadway - Vehicle Not Turning) is used when the pedestrian crossing the roadway (not an expressway) and involved in a collision with a vehicle that was traveling straight through.

At Intersection

760 (Pedestrian Failed to Yield) is used when the pedestrian was involved in a collision with a vehicle while crossing the roadway (not an expressway). The involved motorist had the right-of-way and was traveling or intending to travel straight through. This code should not be used if any of the following apply: **710 (Multiple Threat)**, **730 (Trapped)**, **741 (Dash)**, and **742 (Dart-Out)**. If it is NOT apparent that either party had the right-of-way, select "Other/Unknown."

770 (Motorist Failed to Yield) is used when the pedestrian had the right-of-way and was involved in a collision with a vehicle while crossing the roadway (not an expressway) by a vehicle that was traveling or intending to travel straight through. This code should not be used if any of the following apply: **710 (Multiple Threat)**, **730 (Trapped)**, **741 (Dash)**, and **742 (Dart-Out)**. If it is NOT apparent that either party had the right-of-way, select "Other/Unknown."

Not At Intersection

760 (Pedestrian Failed to Yield) is used when the pedestrian was involved in a collision with a vehicle while crossing the roadway (not an expressway). The involved vehicle was traveling or intending to travel straight through and the officer identified the pedestrian failed to yield. The officer does not have to make the specific statement "failed to yield". For example, a person crossing in the path of a vehicle outside of an intersection and not in a crosswalk would be failing to yield. The motorist would have the right of way in this circumstance.

770 (Motorist Failed to Yield) is used when the pedestrian was involved in a collision with a vehicle while crossing the roadway (not an expressway). The vehicle was traveling or intending to travel straight through and the officer identified the motorist

failed to yield. The officer does not have to make the specific statement “failed to yield”. For example, a person crossing in a mid-block crosswalk has the right of way unless the crossing is signalized and the officer identifies the motorist had the right of way.

790 (Crossing Roadway - Vehicle Turning) is used when the pedestrian was crossing a non-expressway road and involved in a collision with a vehicle that was turning or about to turn.

781 (Motorist Left Turn - Parallel Paths) is used when the motorist was initially traveling on a parallel path with the pedestrian. The motorist made a left turn before the collision with the pedestrian.

782 (Motorist Left Turn - Perpendicular Paths) is used when the motorist was initially traveling on a crossing path with the pedestrian. The motorist made a left turn before the collision with the pedestrian.

791 (Motorist Right Turn - Parallel Paths) is used when the motorist was initially traveling on a parallel path with the pedestrian. The motorist made a right turn before the collision with the pedestrian.

792 (Motorist Right Turn on Red - Parallel Paths) is used when the motorist was initially traveling on a parallel path with the pedestrian. The motorist made a right turn on red before the collision with the pedestrian.

795 (Motorist Right Turn - Perpendicular Paths) is used when the motorist was initially traveling on a crossing path with the pedestrian. The motorist made a right turn before the collision with the pedestrian.

794 (Motorist Right Turn on Red - Perpendicular Paths) is used when the motorist was initially traveling on a crossing path with the pedestrian. The motorist made a right turn on red before the collision with the pedestrian.

799 (Motorist Turn / Merge - Other / Unknown) is used when either the approach paths or turn direction are unknown and do not fit with any of the prescribed circumstances.

800 (Non-Trafficway) is used when the pedestrian was in a parking lot space or aisle or in another or unknown non-trafficway area (e.g., driveway, non-right-of-way sidewalk or shared-use path, yard, open area, etc.), when involved in a collision with a vehicle which was not backing.

830 (Non-Trafficway - Parking Lot) is used when the pedestrian in a parking lot space or aisle was involved in a collision with a vehicle.

890 (Non-Trafficway - Other / Unknown) is used when the pedestrian was in an other non-trafficway area (e.g., driveway, non-right-of-way sidewalk or shared-use path, yard,

open area, etc.) and involved in a collision with a vehicle or there were other or unknown circumstances.

910 (Crossing Expressway) for definition, see Crash Type **910 (Crossing an Expressway)** below.

910 (Crossing an Expressway) is used when the pedestrian was attempting to cross an expressway or expressway ramp when involved with collision with a motor vehicle. An expressway is a major thoroughfare without intersecting cross streets, having specific entrance and exit ramps. It includes superhighways, interstates, freeways, turnpikes, and parkways. Entrance and exit ramps are considered part of an expressway. The pedestrian does not have to be in a travel lane of the expressway or expressway ramp. The case materials/PAR need to indicate that the pedestrian was attempting to cross not just walking along or in the expressway.

990 (Other / Unknown - Insufficient Details) is used when the circumstances do not clearly fit any of the situations described or are unknown.

900 (Other - Unknown Location) is used when the pedestrian is involved in a collision with a vehicle and the crash situation is not covered by any of the types listed or insufficient information is available to specify the crash type.

680 (Not At intersection Other / Unknown) is used when the crash occurred at a Not At Intersection location, but the actions of the pedestrian prior to the collision with the vehicle cannot be determined.

690 (At Intersection - Other / Unknown) is used when the pedestrian/vehicle collision occurred at an intersection, but the actions of the pedestrian prior to the collision cannot be determined or it cannot be determined who failed to yield.

Consistency Checks:

	IF	THEN
(0PB1)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 741,	at least one NON-MOTORIST CONTRIBUTING CIRCUMSTANCES must equal 11.
(FP9F)	PERSON TYPE equals 05, 06, 07, 08 and the PEDESTRIAN/BIKE - CRASH TYPE equals blank, case status is flawed.	
(PB00)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 110-910,	at least one SEQUENCE OF EVENTS for the striking vehicle must equal 08 or 15.
(PB03)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN for a person involved in the first harmful event equals 211, 212, 460, 465, 680, 830, 890, 900 or 910,	RELATION TO JUNCTION (b) must not equal 02. Note: this edit is restricted to vehicles which are involved in only one event with pedestrian(s).

IF	THEN
(PB04) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN for a person involved in the first harmful event equals 211, 212, 461, 465, 680, 830, 890, 900 or 910,	RELATION TO JUNCTION (b) must not equal 02. Note: this edit is restricted to vehicles which are involved in only one event with pedestrian(s).
(PB05) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN for a person involved in the first harmful event equals 311, 312 or 313,	RELATION TO TRAFFICWAY must equal 01 or 11. Note: this edit is restricted to vehicles which are involved in only one event with pedestrian(s).
(PB06) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 730,	TRAFFIC CONTROL DEVICE for the striking vehicle must equal 01-03.
(PB12) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN for a person involved in the first harmful event equals 510, 520 or 590,	RELATION TO TRAFFICWAY must not equal 01 or 11. Note: this edit is restricted to vehicles which are involved in only one event with pedestrian(s).
(PB15) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 910,	NON-MOTORIST ACTION/CIRCUMSTANCES must equal 03.
(PB17) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN for a person involved in the first harmful event equals 211-214 or 219,	PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 08, 09, 13 or 97. Note: this edit is restricted to vehicles which are involved in only one event with pedestrian(s).
(PB18) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 742,	at least one NON-MOTORIST CONTRIBUTING CIRCUMSTANCES must equal 01.
(PB19) NON-MOTORIST ACTION/CIRCUMSTANCES equals 08,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN must not equal 510, 520, 590, 830 or 890.
(PB20) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 510, 520 or 590,	at least one NON-MOTORIST ACTION/ CIRCUMSTANCES must equal 02
(PB22) SCHOOL BUS RELATED equals 1, and PERSON TYPE equals 05 or 08,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 342.
(PB23) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 342, and PERSON TYPE equals 05 or 08,	SCHOOL BUS RELATED should equal 1.
(PB24) PERSON TYPE equals 05 or 08, and NON-MOTORIST LOCATION AT TIME OF CRASH equals 14, 16, 20, 21, 22, 24 or 25,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 230, 320, 410, 420, 430, 440, 459, 510, 520, 590, 830 or 890.

	IF	THEN
(PB25)	PERSON TYPE equals 05 or 08, and NON-MOTORIST LOCATION AT TIME OF CRASH equals 01-03 or 09,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 690, 710, 730, 741, 742, 760, 770, 781, 782, 791, 792, 794, 795 or 799.
(PB27)	NON-MOTORIST ACTION/ CIRCUMSTANCES equals 05, and PERSON TYPE equals 05 or 08,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 410 or 420.
(PB28)	NON-MOTORIST ACTION/ CIRCUMSTANCES equals 06, and PERSON TYPE equals 05 or 08,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 430 or 440.
(PB29)	NON-MOTORIST ACTION/CIRCUMSTANCES equals 04, and PERSON TYPE equals 05 or 08,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 410, 420, 430, 440 or 459
(PB30)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 220,	at least one DRIVER PRESENCE must equal 0 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
(PB32)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 742,	at least one DRIVER'S VISION OBSCURED BY must not equal 00 or 95 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
(PB34)	NUMBER OF FORMS SUBMITTED FOR PERSONS NOT IN MOTOR VEHICLES equals 01, and FIRST HARMFUL EVENT equals 08, and RELATION TO JUNCTION (b) equals 02,	PEDESTRIAN/ BIKE TYPING - CRASH TYPE - PEDESTRIAN must not equal 320, 330, 360, 680, 830, 890, 900, or 910.
(PB36)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 250,	PERSON TYPE must equal 08.
(PB37)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 311, 312 or 313,	at least one NON-MOTORIST ACTION/ CIRCUMSTANCES must equal 08 or 10.
(PB38)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 410 or 420,	at least one NON-MOTORIST ACTION/ CIRCUMSTANCES must equal 05.
(PB39)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 430 or 440,	at least one NON-MOTORIST ACTION/ CIRCUMSTANCES must equal 06.
(PB44)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 240,	EMERGENCY MOTOR VEHICLE USE should equal 2-6 for at least one vehicle.

IF	THEN
(PB45) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 781 or 782,	PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) should equal 11 or 17 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
(PB49) PERSON TYPE equals 05 or 08 and PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) equals 13 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST,	at least one PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 211-214 or 219.
(PB50) PERSON TYPE equals 05 or 08, and PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) equals 10-12 or 16 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST,	at least one PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 460, 465, 510, 781, 782, 791, 792, 794, 795 or 799.
(PB56) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 791, 792, 794, 795,	PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 10 or 17 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
(PB59) NON-MOTORIST ACTION/ CIRCUMSTANCES equals 16, and PERSON TYPE equals 05 or 08,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 459.
(PB60) PERSON TYPE equals 05 or 08, and DRIVER PRESENCE equals 0 for the motor vehicle which strikes the non-motorist,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 220.
(PB61) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 220,	DRIVER PRESENCE should equal 0 for the motor vehicle striking the non-motorist.
(PB62) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 220,	at least one NON-MOTORIST ACTION/ CIRCUMSTANCES must equal 12.
(PB63) PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 230,	at least one RELATED FACTOR - CRASH LEVEL should equal 19 or 23.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING CRASH LOCATION - PEDESTRIAN

FORMAT: Element Completed in MDE

SAS NAME: pbtype.PEDLOC

ELEMENT VALUES:

- 1 At Intersection
- 2 Intersection-Related
- 3 Not At Intersection
- 4 Non-Trafficway Location
- 9 Unknown / Insufficient Information

Remarks:

1 (At Intersection) is used when a person is on a roadway (travel lane) either (1) in the intersection, (2) in an the area between a crosswalk and the perimeter of the intersection, or (3) in a crosswalk (whether marked or unmarked) adjacent to an intersection. The crossing or connection of a roadway and a driveway access is not an intersection and should be coded as **2 (Intersection-Related)** or **3 (Not At Intersection)**.

2 (Intersection-Related) is used when a person is within the trafficway 50 feet out from the perimeter of an "At intersection" area including the entire cross section of the trafficway (e.g., medians, turn lanes, bike lanes, parking lanes, shoulders, sidewalks, etc.) OR the crash is related to the flow of traffic through an intersection (e.g., the result of queuing traffic). Intersection-related area exclusions: (1) intersection, (2) crosswalk, (3) any area between the crosswalk and an intersection.

3 (Not At Intersection) is used when a person is within the trafficway more than 50 feet out from the perimeter of an "At Intersection" area AND the crash is not identified as related to the movement of the traffic units through an intersection. This includes the entire cross section of the trafficway (e.g., medians, turn lanes, bike lanes, parking lanes, shoulders, sidewalks, etc.). This attribute is the default when the case materials/PAR give no indication that the crash is within 50 feet of an intersection.

4 (Non-Trafficway Location) is used when a person is off the trafficway, including parking lot spaces and aisles, driveways (beyond the driveway access), private roads, yards, and other open areas. Note: Crashes occurring on paved shoulders, sidewalks (within the trafficway) or driveway crossings are considered to be "trafficway" crashes and should not be placed in the **4 (Non-Trafficway Location)**.

9 (Unknown / Insufficient Information) is used when there is insufficient information to determine where the person was located.

Consistency Checks:

	IF	THEN
(PB35)	NUMBER OF FORMS SUBMITTED FOR PERSONS NOT IN MOTOR VEHICLES equals 01, and FIRST HARMFUL EVENT equals 08, and RELATION TO JUNCTION (b) equals 02,	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN must equal 1.
(PB66)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 1,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 01, 02, 03, 09, or 22.
(PB67)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 2,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 10, 11, 13, 14, 16, 20-25, 28, 98, 99.
(PB68)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 3,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 10, 11, 13, 14, 16, 20-24, 28, 98, 99.
(PB69)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 4,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 24, 25, 98, 99.
(PB70)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 9,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 16, 22, 24, 98 or 99.
(PB91)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 1,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 1, 2 or 9.
(PB92)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 2,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 3, 4, 5, 6, 7, 8 or 9.
(PB93)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 3,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 2, 3, 4, 5, 6, or 9.
(PB94)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 4,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 7, 8 or 9.
(PB95)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 9,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 2, 5 or 9.

PEDESTRIAN/BIKE TYPING - PEDESTRIAN POSITION

FORMAT: Element Completed in MDE

SAS NAME: pbtype.PEDPOS

ELEMENT VALUES:

- 1 Intersection Area
- 2 Crosswalk Area
- 3 Travel Lane
- 4 Paved Shoulder / Bicycle Lane / Parking Lane
- 5 Sidewalk / Shared-Use Path / Driveway Access
- 6 Unpaved Right-of-Way
- 7 Non-Trafficway - Driveway
- 8 Non-Trafficway - Parking Lot / Other
- 9 Other / Unknown


Remarks:



1 (Intersection Area) is used when the person is either in an intersection (the area embraced within the prolongation of the lateral curb lines or, if none, the lateral boundary lines of the roadways) or in the area between the crosswalk, marked or unmarked and the perimeter of the intersection. If there are no sidewalks/crosswalks, the person must be in the intersection to choose this attribute. For a pedestrian or person on a personal conveyance in a marked bike lane within an intersection, use **1 (Intersection Area)**.

2 (Crosswalk Area) is used when the person is:

- Within a marked crosswalk.
- On an intersection leg in an area where there is a sidewalk on at least one side of that leg, but no crosswalk is identified in the case materials. The general area of the projection of the sidewalk across the leg is an unmarked crosswalk area. These are unmarked crosswalk areas. For midblock locations, the crosswalk must be marked.

This attribute includes crosswalk areas that pass through a median, crossing, or traffic island.





3 (Travel Lane) is used when the person is on a roadway and not in the intersection area or crosswalk area.

4 (Paved Shoulder / Bicycle Lane / Parking Lane) is used when the person is on the paved shoulder, bicycle lane, or parking lane parts of a trafficway. A bicycle lane is a bikeway adjacent to travel lanes which has been designated for preferential or exclusive use by pedalcyclists through striping, signage, or pavement markings. This attribute excludes pedestrians and persons on a personal conveyance in a bicycle lane in an intersection (i.e., use **1 (Intersection Area)**). For shoulders, if it is unknown if the shoulder was paved or unpaved, then default to **9 (Other / Unknown)**.

5 (Sidewalk / Shared-Use Path / Driveway Access) is used when person is within the trafficway on a sidewalk, shared-use path, or driveway access. This includes the driveway crossing which is the portion of the driveway access where a sidewalk or shared-use path crosses over the driveway access.

6 (Unpaved Right-of-Way) is used when the person is in an area within the trafficway where there is no improved surface (e.g., no pavement). Examples include grass medians, unpaved shoulders, and roadside locations like the space between the curb and the sidewalk. See **9 (Other / Unknown)** for paved medians. If it is unknown if the location was paved or unpaved, then default to **9 (Other / Unknown)**.

7 (Non-Trafficway - Driveway) is used when the person is on the part of the driveway outside the trafficway. If the person is in a driveway access, use attribute **5 (Sidewalk / Shared-Use Path / Driveway Access)**.

8 (Non-Trafficway - Parking Lot / Other) is used when the person is on other non-trafficway areas (parking lot spaces/stalls and aisles, non-right-of-way sidewalk or shared-use path, yard, open areas, etc.).

9 (Other / Unknown) is used when the person is located within the trafficway in an area of an improved surface not applicable to previous attributes (e.g., a paved gore, paved separator/median, concrete traffic island.). This attribute also applies if the location of the person is not reported or unknown. If it is unknown if the location was paved or unpaved, then default to this attribute. For Non-Trafficway Location, this attribute is used when the person's position cannot be classified.

Consistency Checks:

IF

THEN

(PB76) PEDESTRIAN/ BIKE TYPING -
PEDESTRIAN POSITION equals 1,

NON-MOTORIST LOCATION AT TIME
OF CRASH must equal 03.

IF	THEN
(PB77) PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 2,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 01, 02 or 10.
(PB78) PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 3,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 11, 13.
(PB79) PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 4,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 14, 16, 20, 98 or 99.
(PB80) PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 5,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 21, 23, 24, 98 or 99.
(PB81) PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 6,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 20, 22, 28, 98 or 99.
(PB82) PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 7 or 8,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 25.
(PB83) PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 9,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 09, 20, 22, 28, 98 or 99.
(PB91) PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 1,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 1, 2 or 9.
(PB92) PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 2,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 3, 4, 5, 6, 7, 8 or 9.
(PB93) PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 3,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 2, 3, 4, 5, 6, or 9.
(PB94) PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 4,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 7, 8 or 9.
(PB95) PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 9,	PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 2, 5 or 9.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING - PEDESTRIAN INITIAL DIRECTION OF TRAVEL

FORMAT: Element Completed in MDE

SAS NAME: pbtype.PEDDIR

ELEMENT VALUES:

What was the Pedestrian's Initial Direction of Travel?

- 1 Northbound
- 2 Eastbound
- 3 Southbound
- 4 Westbound
- 9 Unknown Initial Direction of Travel

Remarks:

This data element is derived by the PBCAT application from PB34 - Motorist Direction and PB37 - Pedestrian Scenario. For example, if PB34 - Motorist Direction is coded **westbound** and PB37 - Pedestrian Scenario, is coded 11a (pedestrian within crosswalk area, approached from same direction as motorist), then the PBCAT application derives PB33-Pedestrian Initial Direction of Travel, as westbound, the same direction as the motorist.

This data element is not applicable when PB31 - Crash Location - Pedestrian equals **3 (Not At Intersection)** or **4 (Non-Trafficway Location)**.

9 (Unknown Initial Direction of Travel) is used when the pedestrian is at or near an intersection (PB31 - Crash Location - Pedestrian equals **1 (At Intersection)** or **2 (Intersection-Related)**) and the pedestrian's initial direction of travel is unknown.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING - MOTORIST INITIAL DIRECTION OF TRAVEL

FORMAT: Element Completed in MDE

SAS NAME: pbtype.MOTDIR

ELEMENT VALUES:

What was the Motorist's Initial Direction of Travel?

- 1 Northbound
- 2 Eastbound
- 3 Southbound
- 4 Westbound
- 9 Unknown Initial Direction of Travel

Remarks:

This data element is not applicable when PB31 - Crash Location - Pedestrian equals **3 (Not At Intersection)** or **4 (Non-Trafficway Location)**.

9 (Unknown Initial Direction of Travel) is used when the pedestrian is at or near an intersection (PB31 - Crash Location - Pedestrian equals **1 (At Intersection)** or **2 (Intersection-Related)**) and the motorist's initial direction of travel is unknown.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING - MOTORIST MANEUVER

FORMAT: Element Completed in MDE

SAS NAME: pbtype.MOTMAN

ELEMENT VALUES:

Select the maneuver being made by the motorist at the time of the collision.

- 1 Left Turn
- 2 Right Turn
- 3 Straight Through
- 9 Unknown Motorist Maneuver

Remarks:

This data element is not applicable when PB31 - Crash Location - Pedestrian equals 3 (Not At Intersection) or 4 (**Non-Trafficway Location**).

9 (Unknown Motorist Maneuver) is used when the pedestrian is at or near an intersection (PB31 - Crash Location - Pedestrian equals **1 (At Intersection)** or **2 (Intersection-Related)**) and the motorist's maneuver is unknown.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING INTERSECTION LEG

FORMAT: Element Completed in MDE

SAS NAME: pbtype.PEDLEG

ELEMENT VALUES:

- 1 Nearside
- 2 Farside
- 9 Unknown/*None of the Above*

Remarks:

Requires the user to select the correct leg of the intersection where the crash occurred. The choices, regardless of the motorist maneuver, will always be “Nearside” and “Farside.”

This data element is not applicable when PB31 - Crash Location - Pedestrian equals **3 (Not At Intersection)** or **4 (Non-Trafficway Location)**.

1 (Nearside) indicates that the collision occurred as the motorist was approaching the intersection.

2 (Farside) indicates that the collision occurred as the motorist was departing the intersection.

9 (Unknown/None of the Above) is used when the pedestrian is at or near an intersection (PB31 - Crash Location - Pedestrian equals **1 (At Intersection)** or **2 (Intersection-Related)**) and the leg of the intersection is unknown.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING **PEDESTRIAN SCENARIO**

FORMAT: Element Completed in MDE

SAS NAME: pbtype.PEDSNR

ELEMENT VALUES:

Motorist traveling straight through - Crash Occurred on Near (Approach) Side of Intersection

- 1a Pedestrian within crosswalk area, traveled from motorist's left.
- 1b Pedestrian within crosswalk area, traveled from motorist's right.
- 1c Pedestrian within crosswalk area, approach direction unknown.
- 2a Pedestrian outside crosswalk area, traveled from motorist's left.
- 2b Pedestrian outside crosswalk area, traveled from motorist's right.
- 2c Pedestrian outside crosswalk area, approach direction unknown.

Motorist traveling straight through - Crash Occurred on Far Side of Intersection

- 3a Pedestrian within crosswalk area, traveled from motorist's left.
- 3b Pedestrian within crosswalk area, traveled from motorist's right.
- 3c Pedestrian within crosswalk area, approach direction unknown.
- 4a Pedestrian outside crosswalk area, traveled from motorist's left.
- 4b Pedestrian outside crosswalk area, traveled from motorist's right.
- 4c Pedestrian outside crosswalk area, approach direction unknown.

Motorist turning right - Crash Occurred on Near (Approach) Side of Intersection

- 5a Pedestrian within crosswalk area, traveled from motorist's left.
- 5b Pedestrian within crosswalk area, traveled from motorist's right.
- 5c Pedestrian within crosswalk area, approach direction unknown.
- 6a Pedestrian outside crosswalk area, traveled from motorist's left.
- 6b Pedestrian outside crosswalk area, traveled from motorist's right.
- 6c Pedestrian outside crosswalk area, approach direction unknown.

Motorist turning right - Crash Occurred on Far Side of Intersection

- 7a Pedestrian within crosswalk area, approach direction same as motorist's.
- 7b Pedestrian within crosswalk area, approach direction opposite motorist's.
- 7c Pedestrian within crosswalk area, approach direction unknown.
- 8a Pedestrian outside crosswalk area, approach direction same as motorist's.
- 8b Pedestrian outside crosswalk area, approach direction opposite motorist's.
- 8c Pedestrian outside crosswalk area, approach direction unknown.

Motorist turning left - Crash Occurred on Near (Approach) Side of Intersection

- 9a Pedestrian within crosswalk area, traveled from motorist's left.
- 9b Pedestrian within crosswalk area, traveled from motorist's right.
- 9c Pedestrian within crosswalk area, approach direction unknown.
- 10a Pedestrian outside crosswalk area, traveled from motorist's left.
- 10b Pedestrian outside crosswalk area, traveled from motorist's right.
- 10c Pedestrian outside crosswalk area, approach direction unknown.

Motorist turning left - Crash Occurred on Far Side of Intersection


- 11a Pedestrian within crosswalk area, approach direction same as motorist's.
- 11b Pedestrian within crosswalk area, approach direction opposite motorist's.
- 11c Pedestrian within crosswalk area, approach direction unknown.
- 12a Pedestrian outside crosswalk area, approach direction same as motorist's.
- 12b Pedestrian outside crosswalk area, approach direction opposite motorist's.
- 12c Pedestrian outside crosswalk area, approach direction unknown.

Remarks:

This data element is not applicable when PB31 - Crash Location - Pedestrian equals 3 (**Not At Intersection**) or 4 (**Non-Trafficway Location**).

(See Scenario Diagram on following pages)

Crash Occurred Near (Approach) Side of Intersection



Crash Occurred Far Side of Intersection





Figure 118. Motorist traveling straight through.















Crash Occurred Near (Approach) Side of Intersection		
		
9a. Pedestrian within crosswalk area, traveled from motorist's left.	9b. Pedestrian within crosswalk area, traveled from motorist's right.	9c. Pedestrian within crosswalk area, approach direction unknown.
		
10a. Pedestrian outside crosswalk area, traveled from motorist's left.	10b. Pedestrian outside crosswalk area, traveled from motorist's right.	10c. Pedestrian outside crosswalk area, approach direction unknown.
Crash Occurred Far Side of Intersection		
		
11a. Pedestrian within crosswalk area, approach direction same as motorist's.	11b. Pedestrian within crosswalk area, approach direction opposite motorist's.	11c. Pedestrian within crosswalk area, approach direction unknown.
		
12a. Pedestrian outside crosswalk area, approach direction same as motorist's.	12b. Pedestrian outside crosswalk area, approach direction opposite motorist's.	12c. Pedestrian outside crosswalk area, approach direction unknown.

Figure 120. Motorist turning left.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE

FORMAT: Element Completed in MDE

SAS NAME: pbtype.BIKECTYPE

ELEMENT VALUES:

Crash Group attribute names are left justified, followed by the element value in parenthesis.
Crash Type element values and attribute names are listed below
the applicable Crash Group.

Initial Approach Path - Crossing Paths or Parallel Paths

Loss of Control / Turning Error (110)

Loss of Control

- 121 Bicyclist Lost Control - Mechanical Problems
- 122 Bicyclist Lost Control - Oversteering, Improper Braking, Speed
- 123 Bicyclist Lost Control - Alcohol / Drug Impairment
- 124 Bicyclist Lost Control - Surface Conditions
- 129 Bicyclist Lost Control - Other / Unknown
- 131 Motorist Lost Control - Mechanical Problems
- 132 Motorist Lost Control - Oversteering, Improper Braking, Speed
- 133 Motorist Lost Control - Alcohol / Drug Impairment
- 134 Motorist Lost Control - Surface Conditions
- 139 Motorist Lost Control - Other / Unknown

Initial Approach Path - Crossing Paths

Loss of Control / Turning Error (110)

Turning Error

- 111 Motorist Turning Error - Left Turn
- 112 Motorist Turning Error - Right Turn
- 113 Motorist Turning Error - Other
- 114 Bicyclist Turning Error - Left Turn
- 115 Bicyclist Turning Error - Right Turn
- 116 Bicyclist Turning Error - Other

Drive / Ride - Out / Through

Motorist Failed to Yield - Sign-Controlled Intersection (140)

- 141 Motorist Drive-Out - Sign-Controlled Intersection
- 143 Motorist Drive-Through - Sign-Controlled Intersection

Bicyclist Failed to Yield - Sign-Controlled Intersection (145)

- 142 Bicyclist Ride-Out - Sign-Controlled Intersection
- 144 Bicyclist Ride-Through - Sign-Controlled Intersection
- 147 Multiple Threat - Sign-Controlled Intersection

Motorist Failed to Yield - Signalized Intersection (150)

- 151 Motorist Drive-Out - Right Turn on Red
- 152 Motorist Drive-Out - Signalized Intersection
- 154 Motorist Drive-Through - Signalized Intersection

Bicyclist Failed to Yield - Signalized Intersection (158)

- 153 Bicyclist Ride-Out - Signalized Intersection
- 155 Bicyclist Ride-Through - Signalized Intersection

Bicyclist Failed to Clear

- 156 Bicyclist Failed to Clear - Trapped
- 157 Bicyclist Failed to Clear - Multiple Threat
- 159 Bicyclist Failed to Clear - Unknown

Crossing Paths - Other Circumstances (190)

- 148 Sign-Controlled Intersection - Other/Unknown
- 158 Signalized Intersection - Other/Unknown
- 160 Crossing Paths - Uncontrolled Intersection
- 180 Crossing Paths - Intersection - Other/Unknown
- 380 Crossing Paths - Midblock - Other/Unknown

Initial Approach Path - Parallel Paths

Motorist Turned or Merged

Motorist Left Turn / Merge (210)

- 211 Motorist Left Turn - Same Direction
- 212 Motorist Left Turn - Opposite Direction

Motorist Right Turn / Merge (215)

- 213 Motorist Right Turn - Same Direction
- 217 Motorist Right Turn on Red - Same Direction
- 214 Motorist Right Turn - Opposite Direction
- 218 Motorist Right Turn on Red - Opposite Direction

Parking / Bus-Related (219)

- 215 Motorist Drive-In/Out - Parking
- 216 Bus/Delivery Vehicle Pullover

Bicyclist Turned or Merged

Bicyclist Left Turn/Merge (220)

- 221 Bicyclist Left Turn - Same Direction
- 222 Bicyclist Left Turn - Opposite Direction

Bicyclist Right Turn / Merge (225)

- 223 Bicyclist Right Turn - Same Direction
- 224 Bicyclist Right Turn - Opposite Direction

Overtaking/Passing Circumstances

Motorist Overtaking Bicyclist (230)

- 231 Motorist Overtaking - Undetected Bicyclist
- 232 Motorist Overtaking - Misjudged Space
- 235 Motorist Overtaking - Bicyclist Swerved
- 239 Motorist Overtaking - Other / Unknown

Bicyclist Overtaking Motorist (240)

- 241 Bicyclist Overtaking - Passing on Right
- 242 Bicyclist Overtaking - Passing on Left
- 243 Bicyclist Overtaking - Parked Vehicle
- 244 Bicyclist Overtaking - Extended Door
- 249 Bicyclist Overtaking - Other / Unknown

One Party on the Wrong-Way / Wrong-Side

Wrong-Way / Wrong-Side (258)

- 250 Wrong-Way / Wrong-Side - Bicyclist
- 255 Wrong-Way / Wrong-Side - Motorist
- 259 Wrong-Way / Wrong-Side - Unknown

Parallel Paths - Other Circumstances (290)

- 219 Motorist Turn/Merge - Other / Unknown
- 280 Parallel Paths - Other / Unknown
- 225 Bicyclist Ride-Out - Parallel Path

Initial Approach Path - Crossing Paths

Bicyclist Ride-Out

Bicyclist Failed to Yield - Midblock (310)

- 311 Bicyclist Ride-Out - Residential Driveway
- 312 Bicyclist Ride-Out - Commercial Driveway
- 313 Bicyclist Ride-Out - Driveway, Unknown Type
- 318 Bicyclist Ride-Out - Other Midblock
- 319 Bicyclist Ride-Out - Midblock - Unknown

NM9
PB30B

357 Multiple Threat - Midblock

Motorist Drive-Out

Motorist Failed to Yield - Midblock (320)

321 Motorist Drive-Out - Residential Driveway
322 Motorist Drive-Out - Commercial Driveway
323 Motorist Drive-Out - Driveway, Unknown Type
328 Motorist Drive-Out - Other Midblock
329 Motorist Drive-Out - Midblock – Unknown

Unusual / Specific Circumstances

Backing Vehicle (600)

610 Backing Vehicle

Other / Unusual Circumstances (850)

700 Play Vehicle-Related
800 Unusual Circumstances

Non-Trafficway (910)

910 Non-Trafficway

Other / Unknown - Insufficient Details (990)

970 Unknown Approach Paths
980 Unknown Location

Remarks:

Crash Type selection depends upon the Initial Approach Path

Initial Approach Path - Crossing Paths is used when the bicyclist and motorist were traveling on intersecting paths prior to their impact. This should be evaluated based on the parties' movements prior to any avoidance actions that may occur or any turns that caused the impact between the two parties.

Initial Approach Paths - Parallel Paths is used when the bicyclist and motorist were traveling in the same or opposite directions prior to their impact. This should be evaluated based on the parties' movements prior to any avoidance actions that may occur or any turns that caused the impact between the two parties

If the Approach Path is unknown see Crash Type **970 (Unknown Approach Paths)**.

Initial Approach Path - Crossing Paths or Parallel Paths

110 Loss of Control / Turning Error

(Loss of Control) is used to identify situations where the critical factor leading to the collision involved control loss by the motorist or the bicyclist. Control loss can be related to mechanical failure, environmentally induced vehicle instability, driver medical issues, unconsciousness, falling asleep, or alcohol/drug impairment. The loss of control must have occurred prior to the driver doing any avoidance maneuver. For operators steering out of their lane and into the path of the other operator while executing a turn, see "Turning Error".

121 (Bicyclist Lost Control - Mechanical Problems) is used when the bicyclist lost control due to mechanical problems / part failure (e.g., flat tire, brake failure, broken chain, etc.).

122 (Bicyclist Lost Control - Oversteering, Improper Braking, Speed) is used when the bicyclist lost control due to oversteering, improper braking, or speed too fast for conditions. Care should be used to differentiate oversteering from overcorrecting, which indicates an avoidance maneuver was made.

123 (Bicyclist Lost Control - Alcohol/Drug Impairment) is used when the case materials/PAR indicate that the bicyclist lost control as a result of alcohol or drug impairment. Do not independently evaluate test results for this determination. The case materials/PAR must indicate that the operator's impairment caused the loss of control and not just that alcohol or drugs were listed among the contributing factors in the crash.

124 (Bicyclist Lost Control - Surface Conditions) is used when the bicyclist lost control due to surface conditions (sand, debris, potholes, ice, etc.).

129 (Bicyclist Lost Control - Other/Unknown) is used when the bicyclist lost control due to other or unknown circumstances. For example, a prior collision with moving or stationary object(s), falling asleep, driver illness such as heart attacks, diabetic comas, unconsciousness or blackout, etc. This would exclude prior contact with a parked vehicle. See **243 (Bicyclist Overtaking - Parked Vehicle)** and **244 (Bicyclist Overtaking - Extended Door)**.

131 (Motorist Lost Control - Mechanical Problems) is used when the motorist lost control due to mechanical problems (e.g., blowout, stalled engine, wheel falls off, etc.).

132 (Motorist Lost Control - Oversteering, Improper Braking, Speed) is used when the motorist lost control due to oversteering, improper braking, or speed too fast for conditions. Care should be used to differentiate oversteering from overcorrecting, which indicates an avoidance maneuver was made.

133 (Motorist Lost Control - Alcohol/Drug Impairment) is used when the case materials/PAR indicate that the motorist lost control as a result of alcohol or drug impairment. Do not independently evaluate test results for this determination. The case materials/PAR must indicate that the operator's impairment caused the loss of control and not just that alcohol or drugs were listed among the contributing factors in the crash.

134 (Motorist Lost Control - Surface Conditions) is used when the motorist lost control due to surface conditions (sand, debris, potholes, ice, etc.).

139 (Motorist Lost Control - Other/Unknown) is used when the motorist lost control due to other or unknown circumstances. For example, a prior collision with moving or stationary object(s), falling asleep, driver illness such as heart attacks, diabetic comas, unconsciousness or blackout, etc.

Initial Approach Path - Crossing Paths

(Turning Error) is used to identify situations where the critical factor leading to the collision involved either the motorist or the bicyclist executing an improper left or right turn at an intersection or to/from a driveway. These are situations where one operator travels out of their lane during the turn and into the path of the other operator. This excludes situations where the movement into the path of the other operator was caused by a loss of control (e.g., sliding on ice when turning).

111 (Motorist Turning Error - Left Turn) is used when the motorist made a left turn at an intersection or a commercial driveway, cut the corner and entered the opposing traffic lane (travel lane, bike lane, paved shoulder, parking lane) occupied by the bicyclist.

112 (Motorist Turning Error - Right Turn) is used when the motorist made a right turn at an intersection or a commercial driveway, swung too wide and entered the opposing traffic lane (travel lane, bike lane, paved shoulder, parking lane) occupied by the bicyclist.

113 (Motorist Turning Error - Other) is used when the motorist made a turning error which led them into the path of a bicyclist who was not in the opposing traffic lane (e.g., on the sidewalk). Also use this attribute for circumstances when the motorist turned into a residential driveway striking the bicyclist on the driveway access or when the motorist made a turning error subsequent to exiting from a residential driveway access.

114 (Bicyclist Turning Error - Left Turn) is used when the bicyclist made a left turn at an intersection or a commercial driveway, cut the corner and entered the opposing traffic lane (travel lane, bike lane, paved shoulder, parking lane) occupied by the motorist.

115 (Bicyclist Turning Error - Right Turn) is used when the bicyclist made a right turn at an intersection or a commercial driveway, swung too wide and entered the opposing traffic lane (travel lane, bike lane, paved shoulder, parking lane) occupied by the motorist.

116 (Bicyclist Turning Error - Other) is used when the bicyclist turned into a residential driveway striking the motorist or made a turning error subsequent to exiting from a residential driveway access.

(Drive/Ride - Out/Through) is used when the bicyclist and motorist are on crossing paths and identifies situations where the critical factor leading to the collision involves either the motorist or the bicyclist failing to yield the right-of-way while turning at or proceeding straight through an intersection.

140 (Motorist Failed to Yield - Sign-Controlled Intersection) is used when PB31B-Crash Location-Bicycle is **1 (At Intersection)** or **2 (Intersection-Related)** and the motorist did not properly yield right-of-way to the bicyclist at an intersection where the motorist was controlled by a sign (stop or yield) or flashing signal. Note: Crashes at traffic circles or roundabouts with yield control are included here.

141 (Motorist Drive-Out - Sign-Controlled Intersection) is used when the case materials/PAR indicate that the bicyclist had the right-of-way and the motorist was stopped at a sign (stop or yield) or flashing signal prior to proceeding and colliding with the bicyclist.

143 (Motorist Drive-Through - Sign-Controlled Intersection) is used when the case materials/PAR indicate that the bicyclist had the right-of-way and the motorist did not stop at a sign (stop or yield) or flashing light controlled intersection.

145 (Bicyclist Failed to Yield - Sign-Controlled Intersection) is used when PB31B-Crash Location-Bicycle is **1 (At Intersection)** or **2 (Intersection-Related)** and the bicyclist did not properly yield right-of-way to the motorist at an intersection where the bicyclist was controlled by a sign (stop or yield) or flashing signal. Note: Crashes at traffic circles or roundabouts with yield control are included here.

142 (Bicyclist Ride-Out - Sign-Controlled Intersection) is used when the case materials/PAR indicate that the motorist had the right-of-way and the bicyclist was stopped prior to proceeding and colliding with the motorist. Note: **147 (Multiple Threat - Sign-Controlled Intersection)** takes precedence if both apply.

144 (Bicyclist Ride-Through - Sign-Controlled Intersection) is used when the case materials/PAR indicate that the motorist had the right-of-way and the bicyclist did not stop at a sign (stop or yield) or flashing light controlled intersection. Note: **147 (Multiple Threat - Sign-Controlled Intersection)** takes precedence if both apply.

147 (Multiple Threat - Sign-Controlled Intersection) is used when the case materials/PAR indicate that the motorist had the right-of-way and the bicyclist entered a sign-controlled intersection in front of standing or slowing traffic and was involved in a collision with another vehicle whose view of the bicyclist was blocked. This value takes precedence over **142 (Bicyclist Ride-Out - Sign-Controlled Intersection)** and **144 (Bicyclist Ride-Through - Sign-Controlled Intersection)**.

150 (Motorist Failed to Yield - Signalized Intersection) is used when PB31B-Crash Location-Bicycle is **1 (At Intersection)** or **2 (Intersection-Related)** and the motorist either violated the signal or did not properly yield right-of-way to the bicyclist.

151 (Motorist Drive-Out - Right Turn on Red) is used when the case materials/PAR indicate that the bicyclist had the right-of-way and the motorist was stopped at a red signal prior to attempting to make a right turn on red resulting in a collision with the bicyclist.

152 (Motorist Drive-Out - Signalized Intersection) is used when the case materials/PAR indicate that the bicyclist had the right-of-way and the motorist was stopped at a red signal prior to proceeding into the intersection on red when going straight or making a turn, resulting in a collision with the bicyclist. This does not include situations where the motorist was making a right turn on red (RTOR). See **151 (Motorist Drive-Out - Right Turn on Red)**.

154 (Motorist Drive-Through - Signalized Intersection) is used when the case materials/PAR indicate that the bicyclist had the right-of-way and the motorist proceeded through the red light without stopping (runs the red light).

158 (Bicyclist Failed to Yield - Signalized Intersection) is used when PB31B-Crash Location-Bicycle is **1 (At Intersection)** or **2 (Intersection-Related)** and the bicyclist either violated the signal or did not properly yield right-of-way to the motorist.

153 (Bicyclist Ride-Out - Signalized Intersection) is used when the case materials/PAR indicate that the motorist had the right-of-way and the bicyclist was stopped at a red signal prior to entering the intersection on a red light, resulting in a collision with the motorist.

155 (Bicyclist Ride-Through - Signalized Intersection) is used when the case materials/PAR indicate that the motorist had the right-of-way and the bicyclist proceeded through the red light without stopping resulting in a collision with the motorist. The bicyclist could be turning or going straight through the intersection.

(Bicyclist Failed to Clear- Signalized Intersection) is used when the bicyclist entered the intersection on green, but did not clear the intersection before the signal changed for the cross-street traffic giving those operators the right-of-way.

156 (Bicyclist Failed to Clear - Trapped) is used when the bicyclist entered the intersection on green, did not clear the intersection before the signal changed for the cross-street traffic giving those operators the right-of-way, and was involved in a collision with a vehicle whose view was not obstructed by standing or stopped traffic

157 (Bicyclist Failed to Clear - Multiple Threat) is used when the bicyclist entered the intersection on green, did not clear the intersection before the signal changed for the cross-street traffic giving those operators the right-of-way, and was involved in a collision with a motorist whose view of the bicyclist was obstructed by standing or stopped traffic.

159 (Bicyclist Failed to Clear - Unknown) is used when the bicyclist entered the intersection on green, failed to clear the intersection and was involved in a collision with a vehicle, but it is unknown whether the bicyclist was trapped in the intersection by a signal change or if there was a multiple threat situation or other circumstances surrounding the crash.

190 (Crossing Paths - Other Circumstances) is used when the bicyclist and motorist were on initial crossing paths, but the crash cannot be further classified.

148 (Sign-Controlled Intersection - Other / Unknown) is used when the crash occurred at a sign-controlled intersection but cannot be further classified.

158 (Signalized Intersection - Other / Unknown) is used when the crash occurred at a signal-controlled intersection but cannot be further classified.

160 (Crossing Paths - Uncontrolled Intersection) is used when the crash occurred at an intersection not controlled by signs or signals.

180 (Crossing Paths - Intersection - Other / Unknown) is used when the bicyclist and motorist were on initial crossing paths but the crash circumstances cannot be further classified.

380 (Crossing Paths - Midblock - Other / Unknown) is used when the crash involved a bicyclist and motorist on initial crossing paths at a midblock location but cannot be further classified.

Initial Approach Paths - Parallel Paths

(Motorist Turned or Merged) is used when the motorist made a turn or merged into the path of a bicyclist.

210 (Motorist Left Turn / Merge) is used when the motorist made a left turn or merge into the path of a bicyclist traveling in the same or opposite direction as the motorist.

211 (Motorist Left Turn - Same Direction) is used when the motorist turned left in front of a bicyclist going in the same direction as the motorist.

212 (Motorist Left Turn - Opposite Direction) is used when the motorist turned left in front of a bicyclist coming from the opposite direction as the motorist.

215 (Motorist Right Turn / Merge) is used when the motorist made a right turn or merge into the path of a bicyclist traveling in the same or opposite direction as the motorist.

213 (Motorist Right Turn - Same Direction) is used when the motorist turned right in front of a bicyclist going in the same direction as the motorist. Excludes motorist right turn on red. See **217 (Motorist Right Turn on Red - Same Direction)**.

217 (Motorist Right Turn on Red - Same Direction) is used when the motorist turned right on red (RTOR) in front of a bicyclist traveling in the same direction as the motorist.

214 (Motorist Right Turn - Opposite Direction) is used when the motorist turned right in front of a bicyclist traveling in the opposite direction as the motorist. Excludes motorist right turn on red. See **218 (Motorist Right Turn on Red - Opposite Direction)**. For a bicyclist traveling in the wrong direction and the motorist makes a right turn into the path of the bicyclist, this crash type takes priority over **250 (Wrong Way / Wrong Side - Bicyclist)** to capture the turning maneuver which made the situation critical.

218 (Motorist Right Turn on Red - Opposite Direction) is used when the motorist turned right on red (RTOR) in front of a bicyclist traveling in the opposite direction as the motorist.

219 (Parking / Bus-Related) is used when the bicyclist was involved in a collision with a vehicle entering or exiting a parking space or by a bus or delivery vehicle pulling into or away from the curb while in forward motion. If the motorist was “backing” see **600 (Backing Vehicle)**.

215 (Motorist Drive-In / Out - Parking) is used when the vehicle and bicyclist collided while the involved vehicle was moving forward in the process of exiting or entering on-street parking. If the motorist was “backing” see **610 (Backing Vehicle)**.

216 (Bus/Delivery Vehicle Pullover) is used when the bicyclist was involved in a collision with a bus or delivery vehicle pulling forward into or away from the curb. If the vehicle was “backing” see **610 (Backing Vehicle)**.

(Bicyclist Turned or Merged) is used when the bicyclist made a turn or merged into the path of a motorist.

220 (Bicyclist Left Turn / Merge) is used when the bicyclist made a left turn or merge into the path of a motor vehicle traveling in the same or opposite direction as the bicyclist. This excludes bicyclists that are traveling on a sidewalk or other parallel path prior to turning left into

the path of a vehicle on the roadway. See Crash Type - Bicycle **225 (Bicyclist Ride-Out - Parallel Path)**.

221 (Bicyclist Left Turn - Same Direction) is used when the bicyclist turned or merged left in front of a motorist going in the same direction as the bicyclist.

222 (Bicyclist Left Turn - Opposite Direction) is used when the bicyclist turned or merged left in front of a motorist traveling in the opposite direction as the bicyclist.

225 (Bicyclist Right Turn / Merge) is used when the bicyclist made a right turn or merge into the path of a motor vehicle traveling in the same or opposite direction as the bicyclist. This excludes bicyclists that are traveling on a sidewalk or other parallel path prior to turning right into the path of a vehicle on the roadway. See Crash Type - Bicycle **225 (Bicyclist Ride-Out - Parallel Path)**.

223 (Bicyclist Right Turn - Same Direction) is used when the bicyclist turned or merged right in front of a motorist going in the same direction as the bicyclist.

224 (Bicyclist Right Turn - Opposite Direction) is used when the bicyclist turned or merged right in front of a motorist coming from the opposite direction as the bicyclist. For a bicyclist traveling in the wrong direction that makes a right turn into the path of the motorist, this crash type takes priority over **250 (Wrong Way / Wrong Side - Bicyclist)** to capture the turning maneuver which made the situation critical.

(Overtaking/Passing Circumstances)

230 (Motorist Overtaking Bicyclist) is used when the motorist was traveling the same direction as the bicyclist and overtaking the bicyclist when they collided. This includes both passing the bicyclist and approaching from behind at a faster speed. A motorist that passes on the left by entering the opposing traffic lane and strikes an oncoming bicyclist is coded under Crash Group - Bicyclist **258 (Wrong Way / Wrong Side)**.

231 (Motorist Overtaking - Undetected Bicyclist) is used when the motorist was overtaking the bicyclist and the case materials/PAR indicate that the motorist did not see the bicyclist or there is indication that the motorist saw the bicyclist but the recognition was too late to avoid the collision. For example, the officer identifies that the driver was distracted or inattentive, the bicyclist was wearing dark clothing/not visible, or there was no roadway lighting and/or no lights/reflectors on the bicycle at night.

232 (Motorist Overtaking - Misjudged Space) is used when the motorist was overtaking the bicyclist and the case materials/PAR indicate that the motorist saw the bicyclist but misjudged the width or distance required to pass the bicyclist resulting in a collision between the two.

235 (Motorist Overtaking - Bicyclist Swerved) is used when the motorist was overtaking the bicyclist and the bicyclist swerved or moved suddenly into the path of an

overtaking vehicle. (Note: Bicyclists that were clearly merging or turning to the left and were struck by a vehicle traveling in the same direction would be coded under **221 (Bicyclist Left Turn - Same Direction)**).

239 (Motorist Overtaking - Other / Unknown) is used when the motorist was overtaking the bicyclist, but the specific circumstances surrounding the overtaking maneuver do not conform to the other situations described or are unknown. If the bicyclist struck a parked vehicle and that impact resulted in a collision with a motor vehicle in-transport, use **243 (Bicyclist Overtaking - Parked Vehicle)** or **244 (Bicyclist Overtaking - Extended Door)**.

240 (Bicyclist Overtaking Motorist) is used when the bicyclist was traveling the same direction as the motorist and was overtaking the motorist on the right or the left when they collided. Note: A bicyclist that passes on the left by entering the opposing traffic lane and strikes an oncoming vehicle is coded under Crash Group - Bicyclist **258 (Wrong Way / Wrong Side)**.

241 (Bicyclist Overtaking - Passing on Right) is used when the bicyclist was involved in a collision with a motor vehicle in a travel lane while attempting to pass it on the right.

242 (Bicyclist Overtaking - Passing on Left) is used when the bicyclist was involved in a collision with a motor vehicle in a travel lane while attempting to pass it on the left.

243 (Bicyclist Overtaking - Parked Vehicle) is used when the bicyclist struck a parked vehicle resulting in a collision with a motor vehicle in-transport.

244 (Bicyclist Overtaking - Extended Door) is used when the bicyclist was involved in a collision with an extended door (open or opened into the path of the bicyclist) of a parked vehicle resulting in a subsequent collision with a motor vehicle in-transport.

249 (Bicyclist Overtaking - Other / Unknown) is used when the specific circumstances surrounding the overtaking maneuver of the bicyclist do not conform to any of the situations described or are unknown. For example, the bicyclist passes or takes an avoidance maneuver around one vehicle going the same direction as the bicyclist and strikes the rear of a another vehicle in the adjacent lane also going the same direction.

258 (Wrong-Way / Wrong-Side) is used when the two parties collided head-on when either the bicyclist or motorist was going the wrong way on a one-way roadway, traveling in the wrong travel lane of a two-way roadway (e.g. passing), or entered the opposing travel lane as part of an avoidance maneuver or as a result of being distracted/ inattentive (e.g., lane drift).

250 (Wrong Way / Wrong Side - Bicyclist) is used when the bicyclist was traveling the wrong way on a one-way roadway or on the wrong side of a two-way roadway and collided with a motor vehicle.

255 (Wrong Way / Wrong Side - Motorist) is used when the motorist was traveling the wrong way on a one-way roadway or on the wrong side of a two-way roadway and collided with a bicyclist.

259 (Wrong Way / Wrong Side - Unknown) is used when it is known that either the bicyclist or the motorist was traveling the wrong way on a one-way roadway or on the wrong side of a two-way roadway, but it cannot be determined which one was going the wrong way or was on the wrong side.

290 (Parallel Paths - Other Circumstances) is used when the bicyclist and motorist were on initial parallel paths, but the crash cannot be further classified.

219 (Motorist Turn / Merge - Other / Unknown) is used when the motorist's turning maneuver is other than those described or is unknown.

280 (Parallel Paths - Other / Unknown) is used when the crash involved a bicyclist and motorist initially traveling in the same or opposite direction but cannot be further classified.

225 (Bicyclist Ride-Out - Parallel Path) is used when the bicyclist, initially traveling in the same or opposite direction as the motorist in a location other than the roadway, shoulder, parking lane, or a bicycle lane (e.g., a sidewalk, shared-use path, or roadside) made a left or right turn and rode into the path of the motorist.

Initial Approach Path - Crossing Paths

(Bicyclist Ride-Out) is used to identify situations where the critical factor leading to the collision involved the bicyclist entering the roadway into the path of the motorist.

310 (Bicyclist Failed to Yield - Midblock) is used when PB31B-Crash Location-Bicycle is **3 (Not At Intersection)** and the bicyclist rode into the street from a non-intersection location (including residential or commercial driveway or other midblock location) without yielding to the motorist.

311 (Bicyclist Ride-Out - Residential Driveway) is used when the bicyclist rode from a residential driveway **access** into the path of a motor vehicle that was proceeding straight ahead on the roadway. If the collision resulted from the motor vehicle turning into the driveway access, see **113 (Motorist Turning Error - Other)**.

312 (Bicyclist Ride-Out - Commercial Driveway) is used when the bicyclist rode from a commercial driveway access into the path of a motor vehicle that was proceeding straight ahead on the roadway. If the collision resulted from the motor vehicle turning into the commercial driveway access, see **111 (Motorist Turning Error - Left Turn)**, **112 (Motorist Turning Error - Right Turn)**.

313 (Bicyclist Ride-Out – Driveway, Unknown Type) is used when the bicyclist rode from a driveway access into the path of a motor vehicle but it cannot be identified if the driveway was residential or commercial.

318 (Bicyclist Ride-Out - Other Midblock) is used when the bicyclist rode from a midblock area other than a driveway into the path of a motor vehicle when the two were initially on crossing paths. For example, a bicyclist rides down their driveway then cuts across the yard and into the roadway.

319 (Bicyclist Ride-Out - Midblock - Unknown) is used when the bicyclist rode into the roadway and into the path of a motor vehicle from an unknown midblock location.

357 (Multiple Threat - Midblock) is used when the bicyclist entered the roadway in front of standing or slowing traffic at a midblock location and was involved in a collision with a vehicle where the driver was traveling in the same direction as the stopped traffic, and whose view of the bicyclist was blocked. This selection would take precedence over Bicyclist Ride-Out.

(Motorist Drive - Out) is used to identify situations where the critical factor leading to the collision involved the motorist entering the roadway or driveway access into the path of the bicyclist.

320 (Motorist Failed to Yield - Midblock) is used when PB31B-Crash Location-Bicycle is **3 (Not At Intersection)** and the motorist drove across the sidewalk or into the street from a non-intersection location (including residential or commercial driveway or other midblock location) without yielding to the bicyclist.

321 (Motorist Drive-Out - Residential Driveway) is used when the motorist drove from a residential driveway into the path of a bicyclist that was proceeding straight ahead on the roadway or driveway crossing. If the collision resulted from the bicyclist turning into the driveway access, see **116 (Bicyclist Turning Error - Other)**.

322 (Motorist Drive-Out - Commercial Driveway) is used when the motorist drove from a commercial driveway into the path of a bicyclist that was proceeding straight ahead on the roadway or driveway crossing. If the collision resulted from the bicyclist turning into the commercial driveway access, see **114 (Bicyclist Turning Error - Left Turn)**, **115 (Bicyclist Turning Error - Right Turn)**.

323 (Motorist Drive-Out - Driveway, Unknown Type) is used when the motorist drove from a driveway into the path of a bicyclist but it cannot be identified if the driveway was residential or commercial.

328 (Motorist Drive-Out - Other Midblock) is used when the motorist drove from a midblock area other than a driveway into the path of a bicyclist when the two were initially on crossing paths. For example, a motorist that drives from the roadside into the path of a bicyclist traveling on the road shoulder.

329 (Motorist Drive-Out - Midblock - Unknown) is used when the motorist drove into the roadway or sidewalk/driveway crossing area and into the path of a bicyclist *in* an unknown midblock area.

Unusual /Specific Circumstances

600 (Backing Vehicle) is used when the motorist was backing when the vehicle contacted the bicyclist.

610 (Backing Vehicle) is used when the bicyclist was involved in a collision with a vehicle that was backing up with a driver at the controls at any type of location. For example, use this attribute for a vehicle that backs up into a bicyclist in a driveway crossing, not **321 (Motorist Drive-Out - Residential Driveway)**. A driverless vehicle rolling backwards is captured by **800 (Unusual Circumstances)**.

850 (Other / Unusual Circumstances) is used when the bicyclist was riding a child's vehicle such as a tricycle (not an adult tricycle), bicycle with training wheels, or "Big Wheel" type tricycle or there were other unusual circumstances such as being involved in a collision with an object set in motion or by an in-transport motor vehicle which was redirected into the bicyclist by a prior collision.

700 (Play Vehicle-Related) is used when the bicyclist was riding a child's vehicle such as a tricycle (not an adult tricycle), bicycle with training wheels, or "Big Wheel" type tricycle. If the motor vehicle was backing up with a driver at the controls when the play vehicle was contacted, use **610 (Backing Vehicle)**.

800 (Unusual Circumstances) is used when there were other unusual circumstances not defined by the other attributes. This would include all set-in-motion situations such as; propelling an object, animal, or parked vehicle into the bicyclist. Also includes a vehicle to vehicle collision where an in-transport vehicle is re-directed into the bicyclist. Crashes involving a bicyclist and a driverless motor vehicle in-transport are included here.

910 (Non-Trafficway) for definition, see Crash Type **910 (Non-Trafficway)** below.

910 (Non-Trafficway) is used when the bicyclist is in a parking lot space or aisle, driveway, non-right-of-way sidewalk or shared-use path, yard, open area, etc., (and involved in a collision with a vehicle which was not backing).

990 (Other / Unknown - Insufficient Details) is used when there is insufficient information to determine the location of the impact between bicyclist and the motorist or the initial approach paths of the bicyclist/motorist.

970 (Unknown Approach Paths) is used when there is insufficient information to determine the initial approach paths of the bicyclist and motorist.

980 (Unknown Location) is used when there is insufficient information to determine the location of the impact between the bicyclist and the motorist.

Consistency Checks:

	IF	THEN
(FP9F)	PERSON TYPE equals 05, 06, 07, 08 and the PEDESTRIAN/BIKE - CRASH TYPE equals blank, case status is flawed.	
(PB02)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 111-980,	at least one SEQUENCE OF EVENTS for the striking vehicle must equal 09.
(PB07)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE for a person involved in the first harmful event equals 311, 312, 313, 321,322 or 323,	RELATION TO JUNCTION (b) must equal 04 or 08. Note: this edit is restricted to vehicles which are involved in only one event with bicyclist(s).
(PB08)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE for a person involved in the first harmful event equals 141-144, 147, 151-157 or 159,	RELATION TO JUNCTION (b) must equal 02 or 03. Note: this edit is restricted to vehicles which are involved in only one event with bicyclist(s).
(PB09)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 141, 143, 151-158, 217 or 218,	TRAFFIC CONTROL DEVICE for the striking vehicle must not equal 00.
(PB10)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 151, 156, 157, 217 or 218,	TRAFFIC CONTROL DEVICE for the striking vehicle must equal 01-04.
(PB11)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 143 or 154,	TRAFFIC CONTROL DEVICE for the striking vehicle must equal 01-04, 08, 20, 21, 28 or 29
(PB16)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 142, 144, 147, 153, 155, 156, 157, 159, 311, 312, 313, 318, 319 or 357,	at least one NON-MOTORIST CONTRIBUTING CIRCUMSTANCES must equal 02.
(PB21)	PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 160,	TRAFFIC CONTROL DEVICE for the striking vehicle should equal 00.
(PB26)	NON-MOTORIST CONTRIBUTING CIRCUMSTANCES equals 02, and PERSON TYPE equals 06 or 07,	PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE should equal 142, 144, 147, 153, 155, 156, 157, 159, 311, 312, 313, 318, 319 or 357.

IF	THEN
(PB31) PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 147, 157 or 357,	at least one DRIVER'S VISION OBSCURED BY must equal 06 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
(PB33) PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 156,	DRIVER'S VISION OBSCURED BY for the striking vehicle must not equal 06.
(PB40) PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 600,	at least one PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 08, 09, or 13 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
(PB41) PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 215,	PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 08 or 09 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
(PB42) PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 111, 211 or 212,	PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 11 or 17 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
(PB43) PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 112, 151, 213, 214, 217 or 218,	PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 10 or 17 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
(PB46) PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 221-225,	PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) should equal 01 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.

IF

THEN

- | | | |
|--------|--|--|
| (PB52) | PERSON TYPE equals 06 or 07, and PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) equals 13 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST, | at least one PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE should equal 610. |
| (PBA0) | PEDESTRIAN/ BIKE TYPING - CRASH TYPE - BICYCLE equals 111, 211, 212, and VEHICLE NUMBER - VEHICLE LEVEL equals NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST, | PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) should equal 11. |
| (PBA1) | PEDESTRIAN/ BIKE TYPING - CRASH TYPE - BICYCLE equals 112, 151, 213, 214, 217 or 218, and VEHICLE NUMBER - VEHICLE LEVEL equals NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST, | PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) should equal 10. |

PEDESTRIAN/BIKE TYPING - CRASH LOCATION - BICYCLE

FORMAT: Element Completed in MDE

SAS NAME: pbtype.BIKELOC

ELEMENT VALUES:

- 1 At Intersection
- 2 Intersection-Related
- 3 Not At Intersection
- 4 Non-Trafficway Location
- 9 Unknown / Insufficient Information

Remarks:

1 (At Intersection) is used when a person is on a roadway (travel lane) either (1) in the intersection, (2) in an area between a crosswalk and the perimeter of the intersection, or (3) in a crosswalk (whether marked or unmarked) adjacent to an intersection. The crossing or connection of a roadway and a driveway access is not an intersection and should be coded as **2 (Intersection-Related)** or **3 (Not At Intersection)**. The intersection is the area embraced within the prolongation of the lateral curb lines or, if none, the lateral boundary lines of the roadways.

2 (Intersection-Related) is used when a person is within the trafficway 50 feet out from the perimeter of an "At Intersection" area including the entire cross section of the trafficway (e.g., medians, turn lanes, bike lanes, parking lanes, shoulders, sidewalks, etc.) OR the crash is related to the flow of traffic through an intersection (e.g., the result of queuing traffic). Intersection-related area exclusions: 1) intersection, 2) crosswalk, 3) any area between the crosswalk and an intersection.

3 (Not At Intersection) is used when a person is within the trafficway more than 50 feet out from the perimeter of an "At Intersection" AND the crash is not identified as related to the movement of the traffic units through an intersection. This includes the entire cross section of the trafficway (e.g., medians, turn lanes, bike lanes, parking lanes, shoulders, sidewalks, etc.). This attribute is the default when the case materials/PAR give no indication that the crash is within 50 feet of an intersection.

4 (Non-Trafficway Location) is used when a person is off the trafficway, including parking lot spaces and aisles, driveways (beyond the driveway access), private roads, yards, and other open areas. Note: Crashes occurring on paved shoulders, sidewalks or driveway crossings

are considered to be “trafficway” crashes and should not be placed in the **4 (Non-Trafficway Location)**.

9 (Unknown / Insufficient Information) is used when there is insufficient information to determine where the person was located. Selecting this attribute will type the crash as **980 (Unknown Location)** and exit the wizard.

Consistency Checks:

	IF	THEN
(PB71)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 1,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 01, 02, 03, 09, 16 or 22.
(PB72)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 2,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 10, 11, 13, 14, 16, 20, 21, 22, 23, 24, 25, 28, 98, 99.
(PB73)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 3,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 10, 11, 13, 14, 16, 20, 21, 22, 23, 24, 28, 98, 99.
(PB74)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 4,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 24, 25, 98, 99.
(PB75)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 9,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 16, 22, 24, 98 or 99.
(PB96)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 1,	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 1, 2, 3, 8 or 9.
(PB97)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 3,	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 1, 2, 3, 4, 8 or 9.
(PB98)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 4,	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 4, 5, 6 or 9.
(PB99)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION-BICYCLE equals 9,	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 9.

PEDESTRIAN/BIKE TYPING - BICYCLIST POSITION

FORMAT: Element Completed in MDE

SAS NAME: pbtype.BIKEPOS

ELEMENT VALUES:

- 1 Travel Lane
- 2 Bicycle Lane / Paved Shoulder / Parking Lane
- 3 Sidewalk / Crosswalk / Driveway Access
- 4 Shared-Use Path
- 5 Non-Trafficway - Driveway
- 6 Non-Trafficway - Parking Lot / Other
- 8 Other
- 9 Unknown

Remarks:

1 (Travel Lane) is used when a person is on a roadway (travel lane) and not in a bicycle lane or crosswalk (marked/unmarked crosswalk or shared-use path crossing).

2 (Bicycle Lane / Paved Shoulder / Parking Lane) is used when a person is in a bicycle lane, on a paved shoulder, or parking lane parts of a trafficway. A bicycle lane is a bikeway adjacent to travel lanes which has been designated for preferential or exclusive use by pedalcyclists through striping, signage, or pavement markings. This attribute includes bicyclists in a bicycle lane in an intersection (i.e., do not use 1 (Travel Lane)). If you do not know if there is a marked bike lane through the intersection then default to **1 (Travel Lane)**. If it is unknown if the shoulder was paved or unpaved, then default to **8 (Other)**.

3 (Sidewalk / Crosswalk / Driveway Access) is used when a person is within the trafficway on a sidewalk, crosswalk (this includes shared-use path crossing), or driveway access. This includes the driveway crossing which is the portion of the driveway access where a sidewalk or shared-use path crosses over the driveway access.

4 (Shared-Use Path) is used when a person is on a bikeway physically separated from motorized vehicular traffic by an open space or barrier and either within the highway right-of-way or an independent right-of-way. Shared-Use Paths will also be used by pedestrians, skaters, wheelchairs, joggers and other non-motorized users. Shared-use path crossings are coded under **3 (Sidewalk / Crosswalk / Driveway Access)**.

5 (Non-Trafficway - Driveway) is used when the person is on the part of the driveway outside the trafficway. If the person is in a driveway access, use attribute **3 (Sidewalk/ Crosswalk/ Driveway Access)**.

6 (Non-Trafficway - Parking Lot / Other) is used when the person is in an other non-trafficway areas (parking lot spaces and aisles, non-right-of-way sidewalk or multi-use path, yard, open areas, etc.).

8 (Other) is used when the person is located within the trafficway in an area with an improved surface not applicable to previous attributes (e.g., a paved gore, paved separator, concrete traffic island) or when the person is in an area within the trafficway where there is no improved surface (e.g., no pavement). Examples include grass medians, unpaved shoulders, and roadside locations like the space between the curb and the sidewalk.

9 (Unknown) is used when the position of the person is not reported or unknown.

Consistency Checks:

	IF	THEN
(PB84)	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 1,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 03, 09, 11 or 13.
(PB85)	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 2,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 14, 16 or 20.
(PB86)	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 3,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 01, 02, 10, 21, 23, 98 or 99.
(PB87)	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 4,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 24.
(PB88)	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 5 or 6,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 25.
(PB89)	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 8,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 20, 22, 28, 98 or 99.
(PB90)	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 9,	NON-MOTORIST LOCATION AT TIME OF CRASH must equal 22, 98 or 99.
(PB96)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 1,	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 1, 2, 3, 8 or 9.
(PB97)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 3,	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 1, 2, 3, 4, 8 or 9.
(PB98)	PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 4,	PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 4, 5, 6 or 9.

IF

THEN

(PB99) PEDESTRIAN/ BIKE TYPING -
CRASH LOCATION-BICYCLE equals
9,

PEDESTRIAN/ BIKE TYPING -
BICYCLIST POSITION must equal 9.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING - BICYCLIST DIRECTION

FORMAT: Element Completed by MDE

SAS NAME: pbtype.BIKEDIR

ELEMENT VALUES:

- 1 With Traffic
- 2 Facing Traffic
- 3 Not Applicable
- 9 Unknown

Remarks:

1 (With Traffic) is used when the bicyclist was traveling with the flow of traffic for the side of the trafficway the bicyclist occupied prior to the crash. Includes being in or adjacent to a travel lane (e.g., roadway, bike lane, shoulder, sidewalk, roadside).

2 (Facing Traffic) is used when the bicyclist was traveling against the flow of traffic for the side of the trafficway the bicyclist occupied prior to the crash. Includes being in or adjacent to a travel lane (e.g., roadway, bike lane, shoulder, sidewalk, roadside).

3 (Not Applicable) is used when the bicyclist was traveling on one of the following: exiting a driveway, in a parking lot, or other non-trafficway area.

9 (Unknown) is used when the bicyclist's direction is unknown.

THIS PAGE INTENTIONALLY LEFT BLANK

PEDESTRIAN/BIKE TYPING CRASH GROUP - PEDESTRIAN

FORMAT: Element Completed by MDE

SAS NAME: pbtype.PEDCGP

ELEMENT VALUES:

Crash Group attribute names are left justified, with the element value prior to the attribute name. Crash Type element values and attribute names are listed below the applicable Crash Group with their applicable element value in parenthesis.

- 100 Unusual Circumstances
 - Dispute-Related (120) *
 - Pedestrian on Vehicle (130) *
 - Vehicle - Vehicle / Object (140) *
 - Motor Vehicle Loss of Control (150) *
 - Pedestrian Loss of Control (160) *
 - Other Unusual Circumstances (190) *
 - Driverless Vehicle (220) *
 - Disabled Vehicle-Related (230) *
 - Emergency Vehicle-Related (240) *
 - Play Vehicle-Related (250) *
- 200 Backing Vehicle
 - Backing Vehicle - Non-Trafficway - Driveway (211) *
 - Backing Vehicle - Driveway Access (212) *
 - Backing Vehicle - Trafficway (213) *
 - Backing Vehicle - Non-Trafficway - Parking Lot (214) *
 - Backing Vehicle - Other/Unknown (219) *
- 310 Working or Playing in Roadway
 - Working in Roadway (311) *
 - Playing in Roadway (312) *
- 340 Bus-Related
 - Transit Bus-Related (341) *
 - School Bus Stop-Related (342) *
- 350 Unique Midblock
 - Entering / Exiting Parked **or** Stopped Vehicle (320) *
 - Mailbox-Related (330) *
 - Ice Cream / Vendor Truck-Related (360) *
- 400 Walking / Running Along Roadway
 - Walking / Running Along Roadway With Traffic - From Behind (410) *
 - Walking / Running Along Roadway With Traffic - From Front (420) *
 - Walking / Running Along Roadway Against Traffic - From Behind (430) *
 - Walking / Running Along Roadway Against Traffic - From Front (440) *

- Walking / Running Along Roadway - Direction / Position Unknown (459)*
- 460 Driveway Access / Driveway Access Related
 - Motorist Entering Driveway (461) *
 - Motorist Exiting Driveway (465) *
 - Driveway Access - Other / Unknown (469) *
- 500 Waiting to Cross
 - Waiting to Cross - Vehicle Turning (510) *
 - Waiting to Cross - Vehicle Not Turning (520) *
 - Waiting to Cross - Vehicle Action Unknown (590) *
- 600 Pedestrian in Roadway - Circumstances Unknown
 - Standing in Roadway (610) *
 - Walking in Roadway (620) *
 - Lying in Roadway (313) *
- 720 Multiple Threat / Trapped
 - Multiple Threat (710) *
 - Trapped (730) *
- 740 Dash / Dart-Out
 - Dash (741) *
 - Dart-Out (742) *
- 750 Crossing Roadway - Vehicle Not Turning
 - Pedestrian Failed to Yield (760) *
 - Motorist Failed to Yield (770) *
- 790 Crossing Roadway - Vehicle Turning
 - Motorist Left Turn - Parallel Paths (781) *
 - Motorist Left Turn - Perpendicular Paths (782) *
 - Motorist Right Turn - Parallel Paths (791) *
 - Motorist Red Turn on Red - Parallel Paths (792) *
 - Motorist Right Turn - Perpendicular Paths (795) *
 - Motorist Right Turn on Red - Perpendicular Paths (794) *
 - Motorist Turn/Merge - Other/Unknown (799) *
- 800 Non-Trafficway
 - Non-Trafficway - Parking Lot (830) *
 - Non-Trafficway - Other / Unknown (890) *
- 910 Crossing Expressway
 - Crossing an Expressway (910) *
- 990 Other / Unknown - Insufficient Details
 - Other - Unknown Location (900) *
 - Not At Intersection - Other / Unknown (680) *
 - At Intersection - Other / Unknown (690) *

***See manual element PB30 Crash Type - Pedestrian for individual attribute remarks**

Remarks:

100 (Unusual Circumstances) is used when the crash involved a disabled vehicle, emergency vehicle, vehicle in pursuit, play vehicle, driverless vehicle or collision with a vehicle

which was in a prior vehicle-into-vehicle impact; the pedestrian/vehicle impact was dispute-related; the pedestrian was leaning against or pushing a vehicle; the pedestrian lost control; the vehicle lost control or the pedestrian was involved in a collision as a result of other unusual circumstances (e.g., the pedestrian collided with an object set in motion by an in transport motor vehicle). If this crash involves unusual circumstances, select the first one that applies (lowest to highest number).

200 (Backing Vehicle) is used when the pedestrian was involved in a collision with a vehicle that was backing up with a driver at the controls at any type of location.

310 (Working or Playing in Roadway) is used when the pedestrian was working or playing in the roadway.

340 (Bus-Related) is used when the pedestrian was involved in a collision with a vehicle while crossing/walking to a bus or bus stop or while waiting at a bus stop. The pedestrian does not have to intend to be a passenger on the bus or previously been a passenger on the bus.

350 (Unique Midblock) is used when the crash was associated with a vendor truck, mailbox, or other roadside pedestrian 'destination' that was not a bus, or the pedestrian was involved in a collision with a vehicle while entering or exiting a parked vehicle.

400 (Walking / Running Roadway) is used when the pedestrian was standing, walking or running in or adjacent to the roadway (travel lane) within the trafficway boundaries. This also includes situations where the person's action/intent was walking or running along the roadway. For example a person stopped momentarily when they were struck (e.g., to tie shoes, talk on cell phone) or someone that moved out into the path of a vehicle to avoid an obstacle along the roadside. This may include the roadway edge, shoulder (paved or unpaved), sidewalk, roadside, or median but excludes a person in a driveway access related crash [See **460 (Driveway Access/Driveway Access Related)**].

460 (Driveway Access / Driveway Access Related) is used when the pedestrian was crossing or in a driveway access. This includes the driveway crossing which is the portion of the driveway access where a sidewalk or shared-use path crosses over the driveway access. This also applies when the pedestrian is crossing in front of the driveway access at the edge of the travel lane.

500 (Waiting to Cross) is used when the pedestrian was standing on the curb or near the roadway edge waiting to cross the roadway when involved in a collision with a vehicle. If the pedestrian began to cross the roadway, stopped, and then was involved in a collision with a vehicle, see Crash Groups **720 (Multiple Threat / Trapped)** **740 (Dash / Dart-Out)** **750 (Crossing Roadway - Vehicle Not Turning)** , **790 (Crossing Roadway - Vehicle Turning)**.

600 (Pedestrian in Roadway - Circumstances Unknown) is used when the pedestrian was standing, walking, or lying in the road right-of-way at an intersection or midblock location but the circumstances do not otherwise fit any previously described or are unknown.

720 (Multiple Threat / Trapped) is used when the pedestrian entered the roadway in front of standing or slowing traffic, the traffic started moving then the pedestrian was then involved in a collision with a vehicle traveling in the same direction as the stopped traffic (multiple threat). Note: Multiple threats may occur at non-signalized locations. This also applies when the pedestrian entered the roadway on a green signal and was trapped when the signal changed (trapped).

740 (Dash / Dart-Out) is used when the pedestrian either ran into the roadway in front of a motorist whose view of the pedestrian was not obstructed or walked or ran into the road and was involved in a collision with a vehicle where the driver's view of the pedestrian was blocked until an instant before impact.

750 (Crossing Roadway - Vehicle Not Turning) is used when the pedestrian crossing the roadway (not an expressway) and involved in a collision with a vehicle that was traveling straight through.

790 (Crossing Roadway - Vehicle Turning) is used when the pedestrian was crossing a non-expressway road and involved in a collision with a vehicle that was turning or about to turn.

800 (Non-Trafficway) is used when the pedestrian was in a parking lot space or aisle or in another or unknown non-trafficway area (e.g., driveway, non-right-of-way sidewalk or shared-use path, yard, open area, etc.), when involved in a collision with a vehicle which was not backing.

910 (Crossing Expressway) for definition, see Crash Type **910 (Crossing an Expressway)** under Crash Type - Pedestrian (PB31).

990 (Other / Unknown - Insufficient Details) is used when the circumstances do not clearly fit any of the situations described or are unknown.

PEDESTRIAN/BIKE TYPING **CRASH GROUP - BICYCLIST**

FORMAT: Element Completed by MDE

SAS NAME: pbtype.BIKECGP

ELEMENT VALUES:

Crash Group attribute names are left justified, with the element value prior to the attribute name. Crash Type element values and attribute names are listed below the applicable Crash Group with their applicable element value in parenthesis.

Initial Approach Path - Crossing Paths*

110 Loss of Control / Turning Error **Loss of Control***

- Bicyclist Lost Control - Mechanical Problems (121) *
- Bicyclist Lost Control - Oversteering, Improper Braking, Speed (122) *
- Bicyclist Lost Control - Alcohol/Drug Impairment (123) *
- Bicyclist Lost Control - Surface Conditions (124) *
- Bicyclist Lost Control - Other/Unknown (129) *
- Motorist Lost Control - Mechanical Problems (131) *
- Motorist Lost Control - Oversteering, Improper Braking, Speed (132) *
- Motorist Lost Control - Alcohol/Drug Impairment (133) *
- Motorist Lost Control - Surface Conditions (134) *
- Motorist Lost Control - Other/Unknown (139) *

Initial Approach Path - Crossing Paths*

110 Loss of Control / Turning Error **Turning Error***

- Motorist Turning Error - Left Turn (111) *
- Motorist Turning Error - Right Turn (112) *
- Motorist Turning Error - Other (113) *
- Bicyclist Turning Error - Left Turn (114) *
- Bicyclist Turning Error - Right Turn (115) *
- Bicyclist Turning Error - Other (116) *

Drive / Ride - Out / Through*

- 140 Motorist Failed to Yield - Sign-Controlled Intersection
 - Motorist Drive-Out - Sign-Controlled Intersection (141) *
 - Motorist Drive-Through - Sign-Controlled Intersection (143) *

- 145 Bicyclist Failed to Yield - Sign-Controlled Intersection
 - Bicyclist Ride-Out - Sign-Controlled Intersection (142) *
 - Bicyclist Ride-Through - Sign-Controlled Intersection (144) *
 - Multiple Threat - Sign-Controlled Intersection (147) *

- 150 Motorist Failed to Yield - Signalized Intersection
 - Motorist Drive-Out - Signalized Intersection (152) *
 - Motorist Drive-Out - Right Turn on Red (151) *
 - Motorist Drive-Through - Signalized Intersection (154) *

- 158 Bicyclist Failed to Yield - Signalized Intersection
 - Bicyclist Ride-Out - Signalized Intersection (153) *
 - Bicyclist Ride-Through - Signalized Intersection (155) *

Bicyclist Failed to Clear *

- Bicyclist Failed to Clear - Trapped (156)*
- Bicyclist Failed to Clear - Multiple Threat (157)*
- Bicyclist Failed to Clear - Unknown (159)*

Drive / Ride - Out / Through*

- 190 Crossing Paths - Other Circumstances
 - Sign-Controlled Intersection - Other/Unknown (148) *
 - Signalized Intersection - Other/Unknown (158) *
 - Crossing Paths - Intersection - Other/Unknown (180) *
 - Crossing Paths - Uncontrolled Intersection (160) *
 - Crossing Paths - Midblock - Other/Unknown (380) *

Initial Approach Path - Parallel Paths*

Motorist Turned or Merged *

- 210 Motorist Left Turn / Merge
 - Motorist Left Turn - Same Direction (211) *
 - Motorist Left Turn - Opposite Direction (212) *

- 215 Motorist Right Turn / Merge
 - Motorist Right Turn - Same Direction (213) *
 - Motorist Right Turn on Red - Same Direction (217) *
 - Motorist Right Turn - Opposite Direction (214) *
 - Motorist Right Turn on Red - Opposite Direction (218) *

- 219 Parking / Bus-Related
 - Motorist Drive-In/Out Parking (215) *
 - Bus/Delivery Vehicle Pullover (216) *

Bicyclist Turn or Merged*

- 220 Bicyclist Left Turn / Merge
 - Bicyclist Left Turn - Same Direction (221) *
 - Bicyclist Right Turn - Opposite Direction (222) *

- 225 Bicyclist Right Turn / Merge
 - Bicyclist Right Turn - Same Direction (223) *
 - Bicyclist Right Turn - Opposite Direction (224) *

Overtaking/Passing Circumstances

- 230 Motorist Overtaking Bicyclist
 - Motorist Overtaking - Undetected Bicyclist (231) *
 - Motorist Overtaking - Misjudged Space (232) *
 - Motorist Overtaking - Bicyclist Swerved (235) *
 - Motorist Overtaking - Other Unknown (239) *

- 240 Bicyclist Overtaking Motorist
 - Bicyclist Overtaking - Passing on Right (241) *
 - Bicyclist Overtaking - Passing on Left (242) *
 - Bicyclist Overtaking - Parked Vehicle (243) *
 - Bicyclist Overtaking - Extended Door (244) *
 - Bicyclist Overtaking - Other/Unknown (249) *

One Party on the Wrong-Way / Wrong-Side*

- 258 Wrong-Way / Wrong-Side
 - Wrong Way / Wrong Side - Bicyclist (250) *
 - Wrong Way / Wrong Side - Motorist (255) *
 - Wrong Way / Wrong Side - Unknown (259) *

- 290 Parallel Paths - Other Circumstances
 - Motorist Turn/Merge - Other/Unknown (219) *
 - Parallel Paths - Other/Unknown (280) *
 - Bicyclist Ride-Out - Parallel Path (225)*

Initial Approach Path - Crossing Paths*

Bicyclist Ride-Out*

- 310 Bicyclist Failed to Yield - Midblock
 - Bicyclist Ride-Out - Residential Driveway (311) *
 - Bicyclist Ride-Out - Commercial Driveway (312) *
 - Bicyclist Ride-Out – Driveway, Unknown Type (313) *
 - Bicyclist Ride-Out - Other Midblock (318) *
 - Bicyclist Ride-Out - Midblock - Unknown (319) *
 - Multiple Threat - Midblock (357) *

Motorist Ride-Out*

- 320 Motorist Failed to Yield - Midblock
 - Motorist Drive-Out*
 - Motorist Drive-Out - Residential Driveway (321) *
 - Motorist Drive-Out - Commercial Driveway (322) *
 - Motorist Drive-Out – Driveway, Unknown Type (323) *
 - Motorist Drive-Out - Other Midblock (328) *
 - Motorist Drive-Out - Midblock - Unknown (329) *

Unusual / Specific Circumstances

- 600 Backing Vehicle
 - Backing Vehicle (610) *
- 850 Other / Unusual Circumstances
 - Play Vehicle-Related (700) *
 - Unusual Circumstances (800) *
- 910 Non-Trafficway
 - Non-Trafficway (910)*
- 990 Other / Unknown - Insufficient Details
 - Unknown Approach Paths (970) *
 - Unknown Location (980) *

*See manual element PB30B Crash Type - Bicycle for individual attribute remarks

Remarks:

110 (Loss of Control) is used to identify situations where the critical factor leading to the collision involved control loss by the motorist or the bicyclist. Control loss can be related to mechanical failure, environmentally induced vehicle instability, driver medical issues, unconsciousness, falling asleep, or alcohol/drug impairment. The loss of control must have occurred prior to the driver doing any avoidance maneuver. For operators steering out of their lane and into the path of the other operator while executing a turn, see "Turning Error".

110 (Turning Error) is used to identify situations where the critical factor leading to the collision involved either the motorist or the bicyclist executing an improper left or right turn at an intersection or to/from a driveway. These are situations where one operator travels out of their lane during the turn and into the path of the other operator. This excludes situations where the movement into the path of the other operator was caused by a loss of control (e.g., sliding on ice when turning).

140 (Motorist Failed to Yield - Sign-Controlled Intersection) is used when PB31B-Crash Location-Bicycle is **1 (At Intersection)** or **2 (Intersection-Related)** and the motorist did not properly yield right-of-way to the bicyclist at an intersection where the motorist was controlled

by a sign (stop or yield) or flashing signal. Note: Crashes at traffic circles or roundabouts with yield control are included here.

145 (Bicyclist Failed to Yield - Sign-Controlled Intersection) is used when PB31B-Crash Location-Bicycle is **1 (At Intersection)** or **2 (Intersection-Related)** and the bicyclist did not properly yield right-of-way to the motorist at an intersection where the bicyclist was controlled by a sign (stop or yield) or flashing signal. Note: Crashes at traffic circles or roundabouts with yield control are included here.

150 (Motorist Failed to Yield - Signalized Intersection) is used when PB31B-Crash Location-Bicycle is **1 (At Intersection)** or **2 (Intersection-Related)** and the motorist either violated the signal or did not properly yield right-of-way to the bicyclist.

158 (Bicyclist Failed to Yield - Signalized Intersection) is used when PB31B-Crash Location-Bicycle is **1 (At Intersection)** or **2 (Intersection-Related)** and the bicyclist either violated the signal or did not properly yield right-of-way to the motorist.

190 (Crossing Paths - Other Circumstances) is used when the bicyclist and motorist were on initial crossing paths, but the crash cannot be further classified.

210 (Motorist Left Turn / Merge) is used when the motorist made a left turn or merge into the path of a bicyclist traveling in the same or opposite direction as the motorist.

215 (Motorist Right Turn / Merge) is used when the motorist made a right turn or merge into the path of a bicyclist traveling in the same or opposite direction as the motorist.

219 (Parking / Bus-Related) is used when the bicyclist was *involved in a collision with a vehicle* entering or exiting a parking space or by a bus or delivery vehicle pulling into or away from the curb while in forward motion. If the motorist was “backing” see **600 (Backing Vehicle)**.

220 (Bicyclist Left Turn / Merge) is used when the bicyclist made a left turn or merge into the path of a motor vehicle traveling in the same or opposite direction as the bicyclist. This excludes bicyclists that are traveling on a sidewalk or other parallel path prior to turning left into the path of a vehicle on the roadway. See Crash Type - Bicycle **225 (Bicyclist Ride-Out - Parallel Path)**.

225 (Bicyclist Right Turn / Merge) is used when the bicyclist made a right turn or merge into the path of a motor vehicle traveling in the same or opposite direction as the bicyclist. This excludes bicyclists that are traveling on a sidewalk or other parallel path prior to turning right into the path of a vehicle on the roadway. See Crash Type - Bicycle **225 (Bicyclist Ride-Out - Parallel Path)**.

230 (Motorist Overtaking Bicyclist) is used when the motorist was traveling the same direction as the bicyclist and overtaking the bicyclist when they collided. This includes both passing the bicyclist and approaching from behind at a faster speed. A motorist that passes on

the left by entering the opposing traffic lane and strikes an oncoming bicyclist is coded under Crash Group - Bicyclist **258 (Wrong Way/Wrong Side)**.

240 (Bicyclist Overtaking Motorist) is used when the bicyclist was traveling the same direction as the motorist and was overtaking the motorist on the right or left when they collided. Note: A bicyclist that passes on the left by entering the opposing traffic lane and strikes an oncoming vehicle is coded under Crash Group - Bicyclist **258 (Wrong Way/Wrong Side)**.

258 (Wrong-Way / Wrong-Side) is used when the two parties collided head-on when either the bicyclist or motorist was going the wrong way on a one-way roadway, traveling in the wrong travel lane of a two-way roadway (e.g. passing), or entered the opposing travel lane as part of an avoidance maneuver or as a result of being distracted/inattentive (e.g., lane drift).

290 (Parallel Paths - Other Circumstances) is used when the bicyclist and motorist were on initial parallel paths, but the crash cannot be further classified.

310 (Bicyclist Failed to Yield - Midblock) is used when PB31B-Crash Location-Bicycle is **3 (Not At Intersection)** and the bicyclist rode into the street from a non-intersection location (including residential or commercial driveway or other midblock location) without yielding to the motorist.

320 (Motorist Failed to Yield - Midblock) is used when PB31B-Crash Location-Bicycle is **3 (Not At Intersection)** and the motorist drove across the sidewalk or into the street from a non-intersection location (including residential or commercial driveway or other midblock location) without yielding to the bicyclist.

600 (Backing Vehicle) is used when the motorist was backing when the vehicle contacted the bicyclist.

850 (Other / Unusual Circumstances) is used when the bicyclist was riding a child's vehicle such as a tricycle (not an adult tricycle), bicycle with training wheels, or "Big Wheel" type tricycle or there were other unusual circumstances such as being involved in a collision with an object set in motion or by an in-transport motor vehicle which was redirected into the bicyclist by a prior collision.

910 (Non-Trafficway) for definition, see Crash Type **910 (Non-Trafficway)** under Crash Type - Bicycle (PB31B).

990 (Other / Unknown - Insufficient Details) is used when there is insufficient information to determine the location of the impact between bicyclist and the motorist or the initial approach paths of the bicyclist/motorist.

APPENDIX

2016 CONSISTENCY CHECKS

The following pages contain Consistency Checks,
Intraconsistency Checks and Special
Processing Rules.
It is arranged in alpha/numeric order.

ERROR CODE	ERROR TEST
0PB1	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 741, then at least one NON-MOTORIST CONTRIBUTING CIRCUMSTANCES must equal 11.
1PK2	If NON-MOTORIST LOCATION AT TIME OF CRASH equals 21, then SIDEWALK PRESENT must equal 1.
1PK3	If NON-MOTORIST LOCATION AT TIME OF CRASH equals 01 or 10, then MARKED CROSSWALK PRESENT must equal 1.
FP9F	PERSON TYPE equals 05, 06, 07, 08 and the PEDESTRIAN/ CRASH TYPE equals blank, case status is flawed.
PB00	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 110-910, then at least one SEQUENCE OF EVENTS for the striking vehicle must equal 08 or 15.
PB02	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 111-980, then at least one SEQUENCE OF EVENTS for the striking vehicle must equal 09.
PB04	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN for a person involved in the first harmful event equals 211, 212, 461, 465, 680, 830, 890, 900 or 910, then RELATION TO JUNCTION (b) must not equal 02. Note: this edit is restricted to vehicles which are involved in only one event with pedestrian(s).
PB05	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN for a person involved in the first harmful event equals 311, 312 or 313, then RELATION TO TRAFFICWAY must equal 01 or 11. Note: this edit is restricted to vehicles which are involved in only one event with pedestrian(s).
PB06	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 730, then TRAFFIC CONTROL DEVICE for the striking vehicle must equal 01-03.
PB07	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE for a person involved in the first harmful event equals 311, 312, 313, 321, 322 or 323, then RELATION TO JUNCTION (b) must equal 04 or 08. Note: this edit is restricted to vehicles which are involved in only one event with bicyclist(s).

ERROR CODE	ERROR TEST
PB08	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE for a person involved in the first harmful event equals 141-144, 147, 151-157 or 159, then RELATION TO JUNCTION (b) must equal 02 or 03. Note: this edit is restricted to vehicles which are involved in only one event with bicyclist(s).
PB09	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 141, 143, 151-158, 217 or 218, then TRAFFIC CONTROL DEVICE for the striking vehicle must not equal 00.
PB10	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 151, 156, 157, 217 or 218, then TRAFFIC CONTROL DEVICE for the striking vehicle must equal 01-04.
PB11	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 143 or 154, then TRAFFIC CONTROL DEVICE for the striking vehicle must equal 01-04, 08, 20, 21, 28 or 29.
PB12	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN for a person involved in the first harmful event equals 510, 520 or 590, then RELATION TO TRAFFICWAY must not equal 01 or 11. Note: this edit is restricted to vehicles which are involved in only one event with pedestrian(s).
PB15	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 910, then NON-MOTORIST ACTION/CIRCUMSTANCES must equal 03.
PB16	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 142, 144, 147, 153, 155, 156, 157, 159, 311, 312, 313, 318, 319 or 357, then at least one NON-MOTORIST CONTRIBUTING CIRCUMSTANCES must equal 02.
PB17	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN for a person involved in the first harmful event equals 211-214 or 219, then PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 08, 09, 13 or 97. Note: this edit is restricted to vehicles which are involved in only one event with pedestrian(s).
PB18	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 742, then at least one NON-MOTORIST CONTRIBUTING CIRCUMSTANCES must equal 01.

ERROR CODE	ERROR TEST
PB19	If NON-MOTORIST ACTION/CIRCUMSTANCES equals 08, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN must not equal 510, 520, 590, 830 or 890.
PB20	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 510, 520 or 590, then at least one NON-MOTORIST ACTION/CIRCUMSTANCES must equal 02.
PB21	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 160, then TRAFFIC CONTROL DEVICE for the striking vehicle should equal 00.
PB22	If SCHOOL BUS RELATED equals 1, and PERSON TYPE equals 05 or 08, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 342.
PB23	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 342, and PERSON TYPE equals 05 or 08, then SCHOOL BUS RELATED should equal 1.
PB24	If PERSON TYPE equals 05 or 08, and NON-MOTORIST LOCATION AT TIME OF CRASH equals 14, 16, 20, 21, 22, 24 or 25, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 230, 320, 410, 420, 430, 440, 459, 510, 520, 590, 830 or 890.
PB25	If PERSON TYPE equals 05 or 08, and NON-MOTORIST LOCATION AT TIME OF CRASH equals 01-03 or 09, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 690, 710, 730, 741, 742, 760, 770, 781, 782, 791, 792, 794, 795 or 799.
PB26	If NON-MOTORIST CONTRIBUTING CIRCUMSTANCES equals 02, and PERSON TYPE equals 06 or 07, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE should equal 142, 144, 147, 153, 155, 156, 157, 159, 311, 312, 313, 318, 319 or 357.
PB27	If NON-MOTORIST ACTION/CIRCUMSTANCES equals 05, and PERSON TYPE equals 05 or 08, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 410 or 420.

ERROR CODE	ERROR TEST
PB28	If NON-MOTORIST ACTION/CIRCUMSTANCES equals 06, and PERSON TYPE equals 05 or 08, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 430 or 440.
PB29	If NON-MOTORIST ACTION/CIRCUMSTANCES equals 04, and PERSON TYPE equals 05 or 08, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 410, 420, 430, 440 or 459.
PB30	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 220, then at least one DRIVER PRESENCE must equal 0 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB31	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 147, 157 or 357, then at least one DRIVER'S VISION OBSCURED BY must equal 06 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB32	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 742, then at least one DRIVER'S VISION OBSCURED BY must not equal 00 or 95 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB33	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 156, then DRIVER'S VISION OBSCURED BY for the striking vehicle must not equal 06.
PB34	If NUMBER OF FORMS SUBMITTED FOR PERSONS NOT IN MOTOR VEHICLES equals 01, and FIRST HARMFUL EVENT equals 08, and RELATION TO JUNCTION (b) equals 02, then PEDESTRIAN/ BIKE TYPING - CRASH TYPE - PEDESTRIAN must not equal 320, 330, 360, 680, 830, 890, 900, or 910.
PB35	If NUMBER OF FORMS SUBMITTED FOR PERSONS NOT IN MOTOR VEHICLES equals 01, and FIRST HARMFUL EVENT equals 08, and RELATION TO JUNCTION (b) equals 02, then PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN must equal 1.

ERROR CODE ERROR TEST

PB36	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 250, then PERSON TYPE must equal 08.
PB37	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 311, 312 or 313, then at least one NON-MOTORIST ACTION/CIRCUMSTANCES must equal 08 or 10.
PB38	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 410 or 420, then at least one NON-MOTORIST ACTION/CIRCUMSTANCES must equal 05.
PB39	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 430 or 440, then at least one NON-MOTORIST ACTION/CIRCUMSTANCES must equal 06.
PB40	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 610, then at least one PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 08, 09, or 13 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB41	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 215, then PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 08 or 09 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB42	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 111, 211 or 212, then PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 11 or 17 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB43	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 112, 151, 213, 214, 217 or 218, then PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 10 or 17 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB44	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 240, then EMERGENCY MOTOR VEHICLE USE should equal 2-6 for at least one vehicle.

ERROR CODE	ERROR TEST
PB45	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 781 or 782, then PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) should equal 11 or 17 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB46	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE equals 221-225, then PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) should equal 01 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB49	If PERSON TYPE equals 05 or 08 and PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) equals 13 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST, then at least one PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 211-214 or 219.
PB50	If PERSON TYPE equals 05 or 08, and PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) equals 10-12 or 16 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST, then at least one PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 460, 465, 510, 781, 782, 791, 792, 794, 795 or 799.
PB52	If PERSON TYPE equals 06 or 07, and PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) equals 13 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST, then at least one PEDESTRIAN/BIKE TYPING - CRASH TYPE - BICYCLE should equal 610.
PB56	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 791, 792, 794, 795, then PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) must equal 10 or 17 for the vehicle number identified in this person's NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST.
PB59	If NON-MOTORIST ACTION/CIRCUMSTANCES equals 16, and PERSON TYPE equals 05 or 08, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 459.

ERROR CODE ERROR TEST

PB60	If PERSON TYPE equals 05 or 08, and DRIVER PRESENCE equals 0 for the motor vehicle which strikes the non-motorist, then PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN should equal 220.
PB61	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 220, then DRIVER PRESENCE should equal 0 for the motor vehicle striking the non-motorist.
PB62	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 220, then at least one NON-MOTORIST ACTION/ CIRCUMSTANCES must equal 12.
PB63	If PEDESTRIAN/BIKE TYPING - CRASH TYPE - PEDESTRIAN equals 230, then at least one RELATED FACTOR - CRASH LEVEL should equal 19 or 23.
PB66	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 1, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 01, 02, 03, 09 or 22.
PB67	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 2, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 10, 11, 13, 14, 16, 20-25, 28, 98, 99.
PB68	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 3, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 10, 11, 13, 14, 16, 20-24, 28, 98, 99.
PB69	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 4, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 24, 25, 98, 99.
PB70	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 9, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 16, 22, 24, 98 or 99.
PB71	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 1, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 01, 02, 03, 09, 16 or 22.

ERROR CODE	ERROR TEST
PB72	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 2, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 10, 11, 13, 14, 16, 20, 21, 22, 23, 24, 25, 28, 98, 99.
PB73	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 3, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 10, 11, 13, 14, 16, 20, 21, 22, 23, 24, 28, 98, 99.
PB74	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 4, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 24, 25, 98, 99.
PB75	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 9, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 16, 22, 24, 98 or 99.
PB76	If PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 1, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 03.
PB77	If PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 2, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 01, 02 or 10.
PB78	If PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 3, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 11, 13.
PB79	If PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 4, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 14, 16, 20, 98 or 99.
PB80	If PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 5, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 21, 23, 24, 98 or 99.
PB81	If PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 6, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 20, 22, 28, 98 or 99.
PB82	If PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 7 or 8, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 25.

ERROR CODE ERROR TEST

PB83	If PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION equals 9, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 09, 20, 22, 28, 98 or 99.
PB84	If PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 1, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 03, 09, 11 or 13.
PB85	If PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 2, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 14, 16 or 20.
PB86	If PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 3, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 01, 02, 10, 21, 23, 98 or 99.
PB87	If PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 4, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 24.
PB88	If PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 5 or 6, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 25.
PB89	If PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 8, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 20, 22, 28, 98 or 99.
PB90	If PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION equals 9, then NON-MOTORIST LOCATION AT TIME OF CRASH must equal 22, 98 or 99.
PB91	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 1, then PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 1, 2 or 9.
PB92	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 2, then PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 3, 4, 5, 6, 7, 8 or 9.
PB93	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 3, then PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 2, 3, 4, 5, 6, or 9.

ERROR CODE	ERROR TEST
PB94	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 4, then PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 7, 8 or 9.
PB95	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - PEDESTRIAN equals 9, then PEDESTRIAN/ BIKE TYPING - PEDESTRIAN POSITION must equal 2, 5 or 9.
PB96	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 1, then PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 1, 2, 3, 8 or 9.
PB97	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 3, then PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 1, 2, 3, 4, 8 or 9.
PB98	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION - BICYCLE equals 4, then PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 4, 5, 6 or 9.
PB99	If PEDESTRIAN/ BIKE TYPING - CRASH LOCATION-BICYCLE equals 9, then PEDESTRIAN/ BIKE TYPING - BICYCLIST POSITION must equal 9.
PBA0	If PEDESTRIAN/ BIKE TYPING - CRASH TYPE - BICYCLE equals 111, 211, 212, and VEHICLE NUMBER - VEHICLE LEVEL equals NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST, then PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) should equal 11.
PBA1	If PEDESTRIAN/ BIKE TYPING - CRASH TYPE - BICYCLE equals 112, 151, 213, 214, 217 or 218, and VEHICLE NUMBER_VEHICLE LEVEL equals NUMBER OF MOTOR VEHICLE STRIKING NON-MOTORIST, then PRE-EVENT MOVEMENT (PRIOR TO RECOGNITION OF CRITICAL EVENT) should equal 10.

THIS PAGE INTENTIONALLY LEFT BLANK